

## Android Portable POS Terminal with 58mm thermal Printer

(M/N:POS-Q3&POS-Q4)



### Features:

- Built-in high speed 58mm thermal printer module
- Built-in 5 megapixels camera
- Built-in large volume speaker
- CCD Barcode scanner for optional
- NFC (HF) function for optional
- Support 12V DC interface charging
- 5200mAh large capacity battery

**Product specifications are subject to change without prior notice.**

**Together We Quest For The Best**

## Specification

Model	POS-Q3	POS-Q4
Name	5.5 inch handheld pos terminal	
Housing	plastic with metal combined	
Color	Whole black commonly (other colors could be customized)	
Battery	7.4V / 5200mAh	
Power Adapter	Input: 100-240V/1.5A 50/60Hz Output: 12V 1A	
I/O	Charging Socket, USB, SIM Slot	
<b>Display</b>		
Main screen	5.5 inch HD touch screen monitor	
Resolution	1280*720	
Touch screen	Multi-point projected G+G capacitive touch	
<b>Performance</b>		
CPU	Quad core MTK80,1.3GHZ	Quad core CortexA53,1.25GHZ
Communication	3G	4G
RAM	1GB standard, 2GB for option	
Flash	8GB Flash standard,16GB Flash for option	
Operating System	Android 6.0	
Microphone	MIC Input	
Button	Power button, Scan Button	
Bluetooth	Bluetooth 4.0	
WIFI	WIFI 802.11 b.g.n	
Network	GSM900/1800,WCDMA2100 TD-SCDMA:B34/ B39 FDD-LTE:B1 /B3 TDD-LTE:B38/ B39/ B40/ B41	
Printer	58mm Thermal Receipt Printer, Printing Speed 90mm/s, Work Life 50 Km	
Paper Roll	Max Diameter 42mm	
Camera	5 megapixels Fixed Focus	
Scanner	1D CCD Scanner (Option)	
RFID	13.56MHZ 14443A NFC (HF) (Option)	
Speaker	1W Single Channel	
<b>Package</b>		
Weight	Gross: 850g	
Package	250*150*100mm	
10 in 1 carton	270*280*500mm/9.2kg	
<b>Environment</b>		

**Product specifications are subject to change without prior notice.**

**OCOM Technologies Limited**Website: [www.ocominc.com](http://www.ocominc.com), [www.possolution.com.cn](http://www.possolution.com.cn)E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com)

Tel/Fax: +86.755.8605.3207



Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%

## Product details



**Product specifications are subject to change without prior notice.**

**Together We Quest For The Best**