

TM-**B** 381 * 428 * 500MM

(TM-**B** 381 * 428 * 500MM)

-**TM-**B****:

1. Label 381 * 428 * 500MM 381 * 428 * 500MM.
2. Label 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM.
3. Powerful 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM.
4. Support 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM.
5. 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM.
6. 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM.

-**TM-**B****:

2000. 381 * 428 * 500MM PLU			
75keys (50x2 = 100 381 * 428 * 500MM / 381 * 428 * 500MM 25 381 * 428 * 500MM 381 * 428 * 500MM)			
381 * 428 * 500MM 381 * 428 * 500MM:	381 * 428 * 500MM 381 * 428 * 500MM 22 381 * 428 * 500MM 381 * 428 * 500MM		
381 * 428 * 500MM:	381 * 428 * 500MM 381 * 428 * 500MM 32 381 * 428 * 500MM 381 * 428 * 500MM		
381 * 428 * 500MM:	55 + ~ 10- 381 * 428 * 500MM ° c. 40 + ~ 0 381 * 428 * 500MM ° c		
381 * 428 * 500MM:	≤85% RH		
381 * 428 * 500MM:	220 (V) 50 (Hz) (V) (V) 381 * 428 * 500MM		
381 * 428 * 500MM:	381 * 428 * 500MM 381 * 428 * 500MM 381 * 428 * 500MM		
381 * 428 * 500MM:	381 * 428 * 500MM 7 381 * 428 * 500MM 381 * 428 * 500MM 5 381 * 428 * 500MM 381 * 428 * 500MM 5 381 * 428 * 500MM		
381 * 428 * 500MM:	30mm 60-381 * 428 * 500MM		
381 * 428 * 500MM:	75MM / 381 * 428 * 500MM		
381 * 428 * 500MM:	RS232 381 * 428 * 500MM		
381 * 428 * 500MM:	381 * 428 * 500MM		
381 * 428 * 500MM			
381 * 428 * 500MM	6KG	15KG	30KG
381 * 428 * 500MM	2G	5G	10G
381 * 428 * 500MM	1/3000	1/3000	1/3000

-**TM-**B****:



TM-B



www.ocominc.com



... (2) ... (1) ... (4) ... (3) ... (5) ... 24 * 7 (6) ...

6.Download

... http://www.possolution.com.cn/cn/download.html ...

... .7

... http://www.possolution.com.cn/video.html ...

8. ...

... .

-:

... Ltd. ... 500 ...

... " ... / ...

:-

OCOM Technologies Limited

Address: 4/F, Block 10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China;

Website: www.ocominc.com, www.possolution.com.cn ;

E-mail: sales14@ocominc.com ;

Skype:sales14@ocominc.com

MSN: ocomsales14@hotmail.com ;

Whatsapp: 0086.18948789890;

Wechat: 0086.18948789890;

Mobile: 0086.18948789890;

QQ: 1467261417;

Tel: 0086.755.86053207-814;

Fax: 0086.755.86053207-868;