

3

M / N OCPP -M087

Product Description

- Windows Java Android iOS
- Andriod iOS SDK Windows PC
- USB RS232
- 2000mAh
- 80
- 50
- 1D 2D
-

	72
	8 / mm 576
	80
	USB
	79.5±0.5 ×φ40mm
	3.75mm
	58mm A - 32 / B - 42 / - 16
	ANK A 1.5×3.0mm 12×24 B 1.1×2.1mm 9×17 3.0×3.0mm 24×24
	PC347 PC850 PC860 PC863 - PC865 WPC1252 PC866 2 PC852 2 PC858 Iran PT151 1251

□□□□	UPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□/ CODE39 / ITF / CODABAR / CODE93 / CODE128 / QR / PDF417
□□	
□□□□	32k□□
NV Flash	64k□□
□□	
□□	□□□AC 110V / 240V□50~60Hz
□□□	□□□DC 9V-2A
□□	
□□	0.19KG
□□□□	111×88×41mm□□x□x□□
□□□□	
□□□□	□□□0~45□□□□10~90□□
□□	□□□-10~60°C□□□□10~90□□
□□	
□□□□	
□□□□□□	50KM





OCPP-M087





OCPP-M087





OCPP-M087





OCPP-M087





OCPP-M087





OCP-PP-M087





OCPP-M087





□□□□

[OCPP -M087](#) □□