

#### 4. 仕様/オプション

M / N OCBP -008

寸法

幅×高さ×奥行き;

200mm / s8" / s;

300mm×214mm×8.4" OD;

8MB×8MB SRAM;

TSPL / EPL / ZPL / DPL;

USB2.0;

Bartender & Windows;

仕様

解像度	8 / mm 203 dpi
ドット数	200×8 /
ドット数	104×4.09
ドット数	1778×70
寸法	25.4-115mm
インターフェース	USB 2.0 / TF; RS-232 / / WIFI /
重量	10×1178
解像度	8 / mm 203dpi
ドット数	/
ドット数	200×8 /
ドット数	104×4.09
ドット数	1778×70
寸法	
寸法	25.4~115
寸法	0.06×0.25
寸法	10~1778mm
ドット数	×127×5
材質	ABS
寸法	246×223×204
寸法	2.47
CPU	32 RISC CPU
メモリ	8MB×8MB SDRAM Mro SD 4 GB

□□	□□□USB 2.0 / TF□; □□□RS-232 / □□□/ WIFI / □□
□□	1D□□□Code 39□Code 93□Code 128UCC□Code 128□□A□B□C□ Codabar□Interleaved 2 of 5□EAN-8□EAN-13□EAN-128□UPC-A□UPC-E□EAN□ UPC 2□5□□□□□MSI□PLESSEY□POS TNET□□□POS T□GS1 DataBar□Code 11 2D□□□PDF-417□Maxicode□DataMatrix□QR□□Aztec
□□□□	①RS-232□2400-115200 bps□②□□③WiFi④□□□□ ⑤□□□⑥LCD/ LED□□□□□□□□
□□□□	FCC□CE□CB□CCC
□□□□	□□□□-10~50°C□14~122°F□□10~90□□□□ □□□□-40~60°C□-40~140°F□□10~90□□□□





OCBP-008






OCBP-008






OCBP-008





OCBP-008





OCBP-008





OCBP-008







OCBP-008

