

# 4GRAM 64G SSD i3 / i5 Linux □□□□□□□□ Pos □□

## □□□

1. □□□□□□□□□□ POS □□
2. □□□□□□□□□□□□□□□□□□□□
3. LED / LCD □□□□□□□□
4. MSR □□
5. Wifi □□

## □□□

□□	POS 8829
□□□□	□/□□
□□□□□□	ISO Track1 / 2/3 <span style="color: red;">□□□□□□</span> ; LCD <span style="color: red;">□□□□□</span> ; LED8; <span style="color: red;">□□□□</span>
□□	<span style="color: red;">□□□□□□</span>
□□□□□	1037U <span style="color: red;">□□</span> 1.8G
□□□	1037U + ICH8 <span style="color: red;">□□□</span>
□□□□	DDRIII 1066/1333 * 1 2GB <span style="color: red;">□□□</span> 4GB <span style="color: red;">□</span>
□□□	SATA 2.5 320GB <span style="color: red;">□</span> 500GB <span style="color: red;">□</span> SSD 32GB
□□□□□□	15 <span style="color: red;">□□</span> TFT LCD
□□	<span style="color: red;">□□</span> 350cd / <span style="color: red;">□</span> <sup>2</sup>
□□□	1024 * 768 <span style="color: red;">□□□□</span>
□□□	5 <span style="color: red;">□□□□□□□□</span>
□□	<span style="color: red;">□□□□</span> 150; <span style="color: red;">□□□</span> 140
I / O <span style="color: red;">□□</span>	1 * <span style="color: red;">□□□□</span>
	PS2 <span style="color: red;">□□</span> * 1; PS2 <span style="color: red;">□□</span> * 1
	Serial * 3 DB9 <span style="color: red;">□</span>
	<span style="color: red;">□□</span> * 1 <span style="color: red;">□□</span> DB25 <span style="color: red;">□□□□</span>
	VGA <span style="color: red;">□□</span> 15Pin D-sub <span style="color: red;">□□</span> * 1
	LAN <span style="color: red;">□□</span> RJ-45 * 1 HDMI * 1 RJ * 11 <span style="color: red;">□□□□□□□□</span>
	USB <span style="color: red;">□□</span> 2.0 <span style="color: red;">□□</span> * 6
<span style="color: red;">□□□□</span> * 12 * <span style="color: red;">□□□□□□□□□□□□</span> MIC IN * 1	
□□□□	0 <span style="color: red;">□□</span> 40 <span style="color: red;">□□□□</span>
□□□□	-20 <span style="color: red;">□□</span> 60 <span style="color: red;">□□□□</span>
□□□□	35W <span style="color: red;">□□□□</span>
□□	FCC A / CE <span style="color: red;">□□</span> / LVD / CCC
□□□□/□□	440 * 270 * 425mm / 8 KGS
□□□□	Windows XP Professional Embedded <span style="color: red;">□□</span> WE POS <span style="color: red;">□□</span> Linux <span style="color: red;">□□□□</span>
□□□□□	110-240V / 50-60HZ <span style="color: red;">□□□□□□□□</span> DC12 / 5A <span style="color: red;">□□</span>



