

# 80 Pos los

OCPP-M086

□□□

n□□Windows□Java□Android□IOS□

n□□□wifi□USB□RS232□□□□□

n□□□□□□□□□□□□□□□□

n□□□□□□90□□/□□

n 100□□□□□□□□

n□□□□□□□□□□□□

□□□

□□□□□×□×□□	98×103×45□□
□□	280□
□□	□□
□□□□□□	72□□
□□□□	□□□□
□□□□	□□ESC / POS□□
□□□□	□□90mm / sec
□□□	8□/□□□203dpi□
□□□□	12x24 / 24x24
□□□	48□/ 24□
□□□□	1.5 x 3.0□□□□×□□/ 3.0x3.0□□□□×□□
□□□□	80.0±0.1mm x□□40.0mm
□□□□	0.06□0.08mm
□□□	□□□□/□□□□
□□	USB□RS-232□□□□□WiFi□□□□□
□□□□□	□□5K□□
□□□□□	9V DC / 2A
□□□□	7.4V DC / 2000mA;□□□□□□4-5□□□□□□□□□□120-150m□□□□
□□□□	□□□□□□□□□□□□□□□□
□□□□	□□□-10°C□50°C□□□□□10□□90□
□□□□	□□□-20°C□70°C□□□□□5□□95□



# OCPP-M086





OCPP-M086









OCPP-M086







□OEM / ODM□

□□□□□□□□



## ▶ Company



## ▶ Certificates



## ▶ Payment





