

OCBS -D5000 PDA

OCBS -D5000

OCBS

- Android 7.0
- 1GB RAM 16GB ROM
- 5.0" 720 * 1280
- IP65 / 1.5m
- 3.7V 8000mAh
- 8 MP LED
- 4G / Wifi / GPS
- HHW SoftwareDevelopment Kit
- 1D / 2D BarcodeScanner
- RFIDLF / HF / UHF / NFC
- TCS1SMCapative

OCBS		
OCBS		
OCBS	170x85x23±2	
OCBS	380g	
OCBS	5.0" TFT-LCD 720x1280	
OCBS	LED	
OCBS	3TP 6	4
OCBS	2PSAM 1SIM 1TF	
OCBS	3.7V 4500mAh UHF 8000mAh	
OCBS		
OCBS	A53 1.5GHz	
OCBS	Android 7.0	
OCBS	2GB RAM 16GB ROM MicroSD 32GB	
OCBS		
OCBS	-20°C 50°C	
OCBS	-20°C 70°C	
OCBS	5RH 95RH	
OCBS	5 / 1.5	
OCBS	IP65 IEC	
ESD	±15kv ±8kv ±8kv	
OCBS		
SDK	HHW	
OCBS	java	
OCBS	Android Studio Eclipse	
OCBS		
WWAN	TDD-LTE 38,39,40 FDD-LTE 1,2,3,4,7; WCDMA 850/1900 / 2100MHz; GSM / GPRS / Edge 850/900/1800 / 1900MHz;	
WLAN	2.4G / 5G IEEE 802.11 a / b / g / n / ac	
WPAN	Class v2.1 + EDR v3.0 + HS v4.0	
OCBS	GPS A-GPS 5	
OCBS		
OCBS		
1D		N431x
OCBS		
OCBS	2D CMOS	N6603
OCBS		PDF417 MicroPDF417 Com pos ite RSS TLC-39 Datamatrix QR Micro QR Aztec MaxiCode Pos tal Net Pos tal Pos tal Pos tal Pos tal
OCBS		
OCBS	800	

RFID	RFID LED	
RFID LF		125KHz / 134.2KHz FDX-B / HDX
		ISO 11784 & 11785
	R / W	200010
RFID HF		13.56MHz
		ISO 14443A & 15693
	R / W	20008
RFID UHF		865~868MHz 920~925MHz
		EPC C1 GEN2 / ISO 18000-6C
		2dB
	R / W	1001.5
2.45GHz		200
433MHz		200
ZigBee		
	IEEE 802.15.4	
		100200
	TCS1SM	
	508 DPI	
	FRR <0.008 FAR <0.005	
	1000	
PSAM		
	ISO 7816	
		9600,19200,38400,43000,56000,57600,115200
		2000000
		1xPower 1x 1xDC 1xUSB
		UHF





