

Android IC

M / N CR03IC



CR03IC

CR03IC IC

CR03IC


T = 0 T = 1 CPU

USB Android

3. CR03IC

IC	USB RS232
IC	-20~60°C 0~50°C
IC	15~85
IC	116x36x38.4
IC	
IC	> 200,000
IC	0.75mm
IC	20
IC	50
IC	25

規格	AT24C01A / 24C02 / 24C04 / 24C08 / 24C16 / AT24C64 SLE4432 / 4442 SLE4418 / 4428 ISSI 24C01A / 16 ISO7816-1-4 T = 1 T = 0
規格	
規格	ISO 7811 AMMV CADMV
規格	3~60 /
規格	> 600000
位置	3
規格	0.76 1.2mm
規格	7
RFID	
規格	13.56MHz ISO / IEC14443A / B.
規格	> 600000
規格	1-4cm





CR003IC





CR003IC





CR003IC



12 + 1

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro 6000

5.

6.

Eruopean ...

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133

9 OEM / ODM

POS

FCC CE Soncap POA BIS

12 + 1

"