

OCBS -LA09

OCBS

- ñ 200scan / sec
- ñ
- ñ
- ñ KBW RS232 USB
- ñ

OCBS

OCBS	
OCBS	650nm
OCBS	200
OCBS	32
OCBS	2.5 600mm 100 UPC / EAN
OCBS	50 @ 60 220 @ 200
OCBS	
OCBS	
OCBS	3mil / 5mil
OCBS	30
OCBS	UPC / EAN UPC / EAN UCC / EAN 128 39 39 ASCII 39 128 128 ASCII Codabar 2 5 5 2 93 MSI 11 RSS 5 20 / / / / UCC / EAN 128 C GS1 RSS
OCBS	±65°; ±60°; ±42°
OCBS	
OCBS	PS2 RS232 USB
OCBS	5V DC ±5
OCBS	85 mA; 100
OCBS	LED
OCBS	ABS +
OCBS	
OCBS	156 * 68 * 83 * *
OCBS	235
OCBS	
OCBS	
OCBS	0°C 45°C
OCBS	-40°C 60°C
OCBS	5 -90
OCBS	+/- 15KV +/- 8KV
OCBS	0 100,000
OCBS	1.5m
OCBS	EN60825-1 C 1



OCBS-LA09





OCBS-LA09






OCBS-LA09





OCBS-LA09







OCBS-LA09

