

# 58 USBpos

OCPP -58X

## Product Description

### Overview

OCPP -58X is a compact and efficient receipt printer designed for use in retail environments. It features a USB interface and a 58mm receipt width, making it ideal for small businesses and point-of-sale systems.

### Key Features

- Compact and space-saving design
- High-speed printing performance
- USB interface for easy connectivity
- 58mm receipt width for standard POS systems
- Customizable logo and branding options

### Specifications

OCPP -58X is a compact and efficient receipt printer designed for use in retail environments.

### Table

Item	Specification	
General Information	Model	OCPP -58X
	Print Speed	48mm/s
	Resolution	384 dots / 8mm / mm 203dpi
	Receipt Width	90mm / 3.54 inches
	Interface	USB
	Print Length	3.75 mm (1.5 inches)
	Print Length Options	A: 32mm / 1.26 inches B: 42mm / 1.65 inches C: 16mm / 0.63 inches
	Print Length Options	GB2312
	Print Length Options	ANK: A 1.5x3.0mm 12x24mm B 1.1x2.1mm 9x17mm / 3.0x3.0mm 24x24mm
Barcode Support	Supported Barcodes	PC437 / PC850 / PC860 / PC863 / PC865 / WPC1252 / PC866 / PC852 / PC858 / IranII / PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 / PC1001 / PT151,1251 / WPC1257 / PC864
	Supported Barcodes	UPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODE39 / ITF / CODE93 / CODE128

□□□□	□□□□	□□□□□□□□□□
□	□□	□□
	□□	57.5±0.5□□
	□□	≤60□□
	□□□□	□□□□□□□□□□
□□□□	□□	□□/ POS
□□	□□□□□□	□□□□AC 100V-240V□50-60Hz □□□□DC 12V / 2.6A
	□□□□□□	□□12V / 1A
□□	□□□□□□	32 KB
	NV□□	64 KB

▶ Picture Show





OCPP-58X





OCPP-58X





# OCPP-58X





OCPP-58X





OCPP-58X





## ▶ Company



## ▶ Certificates



## ▶ Payment



## ▶ Contact us



Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean ...

159/2300 Unilever O2 500 50

OCOM

- 500 POS ID
- O2 Star ...
- 2300 159/
- 11 OEM / ODM
- POS
- 
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
- 

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS ISO CE FCC

OCOM “ ” OEM / ODM