

ECD-410G

ECD-410G

□□

| 4□5□□□□□□□□

| 8□□□□□□□□

| □□□□□□□□

| □□□ABS□□

| 12V□24V□□

| 3□□

| □□□□□□150□□□□

□□

| | |
|------|----------------------------------|
| □□ | □□□0.8mm SPCC□□□□□□□□□□ |
| | □□□1.0mm SECC |
| □□□ | □□□□□85/84/84 / 85mm |
| | □□□□□72/63/63/65 / 70mm |
| | □□□186mm;□□□55mm |
| □□□ | 8□ □□□ □□□82□□□□57;□□□46 |
| □ | 3□□ |
| □□ | □□12V / 24V |
| □□ | □□□□150□□□□ |
| □□ | RJ11 |
| □□ | □□□ |
| □□ | □□5.65□□□□□6□□ |
| □□□□ | 410□□□x 415□□□x 100mm□□□□□□10mm□ |



ECD-410G





ECD-410G





ECD-410G





ECD-410G



OCOM OEM / ODM

▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□“□□□□□□□□□□□□□□□□”□□□□□□



