

# ECD-410G RJ11 POS

ECD-410G

□□

| 45□□□□□□

| 8□□□□□□

| □□□□□□

| □□□ABS□□

| 12V□24V□□

| 3□□

| □□□□□150□□□□

□□

□□	□□□0.8mm SPCC□□□□□□□□
	□□□1.0mm SECC
□□□	□□□□85/84/84 / 85mm
	□□□□72/63/63/65 / 70mm
	□□□186mm;□□□55mm
□□□	8□ □□□ □□□82□□□□57;□□□46
□	3□□
□□	□□12V / 24V
□□	□□□□150□□□□
□□	RJ11
□□	□□□
□□	□□5.65□□□□□6□□
□□□□	410□□□x 415□□□x 100mm□□□□□□10mm□



ECD-410G





ECD-410G





ECD-410G





ECD-410G





OCOM [redacted] " [redacted] " [redacted]  
[redacted] OEM / ODM [redacted]

[redacted]

## ▶ Company



## ▶ Certificates



## ▶ Payment





□□□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□“□□□□□□□□□□□□□□□□”□□□□□□



