

OCBS-L009

OCBS-L009



200

200scan / sec

KBW

RS232 USB

32

2.5

50

650nm	
200	
32	
2.5	600mm 100 UPC / EAN
50	@ 60 220 @ 200
3mil	5mil
30	
UPC / EAN	UPC / EAN UCC / EAN 128 39 39 ASCII 39 128 128 ASCII 2 of 5 5 of 2 93 MSI 11 RSS 5 of 2 MSI / Plessey / Plessey UCC / EAN 128 GS1 RSS
±65°	±60° ±42°

□□□□	
□□□□□□	PS2□RS232□USB
□□□	5V DC±5□
□□□	85 mA□□□□; 100□□□□
□□□	□□□□LED
□□	ABS
□□	□□□
□□□	156 * 68 * 83□□□□*□*□□
□□□	235□
□□□	□□□□□
□□	
□□□□□	0□□45□
□□□□□	-40□□60□
□□□	5□-90□□□□□□
□□□□□	□□+/- 15KV□□□□□+/- 8KV□□□□
□□□□	0□100,000□□□
□□□□□	□□□□□1.5m□□□□□□□
□□□□	EN60825-1□□□□1



OCBS-L009





OCBS-L009





OCBS-L009





OCBS-L009



OCOM " " OEM / ODM

▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

· POS□□□□□□□□□□□□□□□□□□□□

· □□□□□□500□□□□□□□□

· 1□□□□□□□□□□□□O2□Star ...

· □□163□□□□/□□□2600□□□□□□

· □□□□□□□□□□24□□□□□□□□

· □□12□OEM / ODM□□□□□□□□□□

· □□□□□□□□□□□□□□□□

· □□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

· □□□□□□□□□□□□□□□□□□□□□□

· □□□□□□□□12 + 1□□□□□□□□□□□□□□

· □□“□□□□□□□□”

· □□□□“□□□□□□□□□□□□□□□□□□□□□□”□□□□□□□□



