

OCPP-M07

Windows Java Linux Android IOS;
 USB RS232 Android IOS WIN CE SDK
 QR
 57 * 50
 8 Android Apple
 1500 4 5
 90mm /;
 100
 ESC / POS;

Table

Dimensions (mm)	105x75x45
Weight	134g
Material	ABS
Interface	ESC / POS
Resolution	48
Print Speed	90mm / sec
Resolution (dots)	8 / 203dpi
Print Range	12x24 / 24x24
Print Density	32 / 16
Print Size	1.5 x 3.0 / 3.0x3.0
Print Accuracy	58.0±0.1mm x 40.0mm
Print Thickness	0.06-0.08mm
Print Temperature	0-40°C
Interface	USB RS-232
Memory	256KB
Power	9V DC / 2A
Battery	7.4V DC / 1500mAh; 4-5h 120-150m
Barcode	1D
Barcode	10-100 50 10 90
Barcode	20 70 5 95
Barcode	30 ASCII
Barcode	1234 6
Barcode	3.5 * 1.1

□□□□	OCPP -M07-BB	Android□USB + COM +□□□□□□
	OCPP -M07-BB-AI	Android + IOS□USB + COM +□□□□□□
	OCPP -M07-B	Android□USB + COM +□□□□□□□□
	OCPP -M07-U	□□□□□□□□Android□USB + COM□□□□□□
	OCPP -M07-BB-AA	Android + IOS□USB + COM +□□□□□□□□7□android +1□□□□□





OCPP-M07



