

# RS232 / USB

## OCBS -T2001

### Product Description

Features

1. High resolution
2. Supports 1D / 2D
3. High speed
4. Supports Windows/Android/Linux

Specifications

Resolution		640×480 CMOS
Barcode	1D	Code 128/UCC/EAN-128/AIM 128/EAN-8/EAN-13/ISSN/ISBN/UPC-E/UPC-A/Interleaved 2 of 5/ITF-6/ITF-14/Matrix 2 of 5(European Matrix 2 of 5)/Industrial 25/Standard 25/Code 39/Codabar/Code 93/Code 11/Plessey/MSI-Plessey/RSS-14/RSS-Limited/RSS-Expand
	2D	PDF417/QR/DATAMATRIX
Resolution		≥5mil
Barcode		QR 30MIL/0-15CM 128 10MIL/0-12CM
Barcode		±60°@ 0°Roll/0°Skew 360°@ 0°/0° ±55°@ 0°/0°
Barcode		≥30
Interface		RS-232 / USB
LED		
Protection		
Protection		IP5X
Temperature		-20°C~50°C
Temperature		-40°C~70°C
Weight		5~95g
Dimensions		
Weight		USB 228g RS232 261g
Dimensions		102 * 82 * 73mm L * W * H
Power		
Voltage		5V + 0.25V
Current		430mA
Current		Idle: <200mA; Load: 150mA±15mA; Peak: 80mA±2mA

### Picture Show



OCBS-T2001





# OCBS-T2001





# OCBS-T2001





# OCBS-T2001





OCBS-T2001





## ▶ Company



## ▶ Certificates



## ▶ Payment



## ▶ Contact us





Moneybookers Visa MasterCard Maestro Solo Carte  
Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean

159 2300 O2 500 ..... 50

OCOM

- 500 POS
- O2 Star .....
- 2300 159;
- 11 OEM / ODM
- POS
- 
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “”
- 

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS  
ISO CE FCC

OCOM “”