

□LCD□□□4□□□□□□□□□□□□

□□□□OCBP - M1003□

□□□

□□TPU□□□□□□□□□□;
 □□□□□□□□□□;
 □□□□□□□□□□;
 □□□□□50□□□□□□;
 □Android□iOS□□;
 2500mah□7.2V 18.36WH□□□□;
 USB Type-C□□□□□□□□□□;
 □□□□□□□□□□□□□□□□;
 □□TSPL□ZPL□CPCL□ECS / POS□□;
 LCD□□□□□□□□□□□□□□□□;
 □□□□□□□□□□□□□□□□;
 □□□□□□5□□□□□□□□7□□□□□;
 100□□/□□□□□□;
 8MB DRAM□8MB□□;
 □□bartender□□;
 □□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□	□□□□
□□□□	ESC / POS□TSPL CPCL ZPL□□
□□□□□□□□	max = 104mm□832□□
□□□□	□□100□□/□
□□□	8□/ mm□203dpi□
□□□□	112.±0.5mm x□□50.0mm
□□□□	0.05□0.12mm.
□□□	□□□□/□□
□□	USB Type-C□□□□
□□	8MB DRAM□8MB□□
□□□□□□	1D□□□□□39□□□93□□□128ucc□□□128 Codabar□□□2□□5 □□EAN-8□EAN-13□EAN-128□UPC-A□UPC-E□EAN□UPC 2□5□□□□□□□ □□MSI□PLESSEY□POS TNET□CHINA POS T 2D□□□PDF-417□Maxicode□DataMatrix□QR□
□□□□□□	5V DC / 2A
□□□□	4-5□□
□□□□	2550mah□7.2V 18.36Wh
□□□□	□□□□5□□□7□□□□□□
□□□□□□□□□□	50□□.

□□□□	□□□□□□□□
□□□□	□□□-10□50 Degc□□□□10□□90□
□□□□	□□□-20□70 Degc□□□□5□□95□
□□	□□□0.583kg /□



OCBP-M1003





OCBP-M1003





OCBP-M1003





OCBP-M1003





OCBP-M1003





OCBP-M1003

