

# OCBS-2017/OCBS-2017

OCBS-2017 )

## OCBS

1. OCBS
2. OCBS
3. 4-core ARM DSP
4. OCBS
5. OCBS
6. OCBS

## OCBS

OCBS	OCBS-2017
OCBS	OCBS
OCBS	ABSPC
OCBS	32-core ARM DSP
OCBS	USB; USB; RS232
OCBS	OCBS(LED)
IP	IP42
OCBS	375mW; 226mW; 750mW
OCBS	5V ±5%
OCBS	Linux; XP; 7; 8; 10
OCBS	CMOS
OCBS	OCBS LED
OCBS	≥ 4 mil; PCS90%; CODE 39
OCBS	1/5
OCBS	25
OCBS	OCBS
OCBS	OCBS
OCBS	15KV
OCBS	OCBS 1.5m
OCBS	≥25%
OCBS	OCBS Code25, Code25, Code25, Code39, Code39-FullASCII, Code32, Code93, Code93-FullASCII, Code128, EAN/GSL/UCC-128, EAN, JAN-13, UPC-A, 1D, 2D:PDF417, QR Code, Data Matrix
OCBS	Code39 417x15x4cm-8cm Code128 417x16x7cm-15cm 1083x8x3cm-9cm 1083x8x7cm-12cm
OCBS	Roll360°, Pitch30°, Yaw45°
OCBS	OCBS
OCBS	OCBS 320g; 400g
OCBS	195*105*80mm
30x1	570*430*280mm/7.0kg
OCBS	OCBS
OCBS	0; 4; 5; 10%~80%

□□ □□ □□ □□

-20 □ 60 □□□ , 10%~90% □□□

□□□□









