

# OCBS-2019 32位元USB

## OCBS -2019

OCBS

OCBS-2019

OCBS-2019

4位元

OCBS-2019

OCBS-2019 1D 2D

OCBS-2019

OCBS

OCBS	USB; RS232
OCBS	Linux Android Windows XP 7 8 10 MAC
OCBS	OCBS; OCBS; OCBS; OCBS; OCBS; OCBS
OCBS	CMOS
OCBS	LED + LED
OCBS	32 ARM MCU + DSP
OCBS	Code39 35cm /
OCBS	400
OCBS	1/5
OCBS	
OCBS	
OCBS	LED
OCBS	20
OCBS	ABS + PC
OCBS	5V ± 5
OCBS	375mW; 226mW; 750mW
OCBS	
OCBS	289 ± 5
OCBS	180 * 115 * 85 mm
OCBS	60 * 45 * 38.5 50 / = 14.45kg = 16.15kg
OCBS	+
OCBS	<ul style="list-style-type: none"> <li>● 25 ● 25 - 25</li> <li>● 39 - ● 39 - ASCII ● 32</li> <li>● Code93 - ● Code93 - ASCII ● Code128</li> <li>● EAN / GSL / UCC-128Auto ● Codabar ● MSI</li> <li>● EAN / JAN-13 ● UPC-A ● JAN-8 ● Code11 ● UPCE0</li> </ul>
OCBS	<ul style="list-style-type: none"> <li>2D ● MICRO QR ● QR</li> <li>● AZTEC ● PDF417</li> </ul>
OCBS	360° 30° 45°
OCBS	Code39 4.17mil 15 6cm-12cm
OCBS	Code128 4.17mil 16 7cm-10cm
OCBS	10.83mil 8 bytes 5cm-16cm
OCBS	QR 1083mil 8 bytes 7cm-12cm

□□□□	
IP□□	IP52
□□□□	0□50°C/ 32□122°F
□□□□	0□50°C/ 32□122°F
□□□□	20□□85□□□□□□□□
□□□□	20□□85□□□□□□□□
□□□□	15KV□□
□□□	□1.5m□□□□□□□□□□





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019







OCBS-2019





OCBS-2019



