

OCBS-2019 4 usb

OCBS -2019

□□□

□□□□□□□□

□□□□□□

4□□□□□□□□□□

□□□□□□□□□□

□□□□□□1D□2D□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□

□□	USB; □RS232□□□□□□				
□□□□	Linux□Android□Windows XP□7□8□10□MAC				
□□□□	□□;□□;□□;□□□□;□□;□□;□□				
□□□	□□CMOS□□□□				
□□	□□LED□□□□+□□LED□□□□				
□□□	32□ARM MCU + DSP				
□□□□	Code39□35cm /□				
□□□	400□				
□□□	1/5□				
□□□□	□□				
□□□□	□□□□□□□□□□□□□□				
□□□□	□□□□□□□□LED□				
□□□□□□	20□				
□□	ABS +PC				
□□	□□5V±5□				
□□□□	375mW□□□□□; 226mW□□□□□; 750mW□□□□□				
□□	289□±5□				
□□□□	□*□*□□180 * 115 * 85□□□□mm□				
□□□□	60 * 45 * 38.5□□ 50□/□□□□□□= 14.45kg□□□□= 16.15kg				
□□	□+□				
□□□□	<table border="1"> <tr> <td>□□</td> <td> <ul style="list-style-type: none"> ●□□25□□●□□25□□-□□25□□ ●□□39-□□●□□39-□ASCII●□□32 ●Code93-□□●Code93-□ASCII●Code128 ●EAN / GSL / UCC-128Auto●Codabar●MSI ●EAN / JAN-13●UPC-A●JAN-8●Code11●UPCE0 </td> </tr> <tr> <td>2D</td> <td> <ul style="list-style-type: none"> ●MICRO QR●□□□□●QR ●AZTEC●PDF417 </td> </tr> </table>	□□	<ul style="list-style-type: none"> ●□□25□□●□□25□□-□□25□□ ●□□39-□□●□□39-□ASCII●□□32 ●Code93-□□●Code93-□ASCII●Code128 ●EAN / GSL / UCC-128Auto●Codabar●MSI ●EAN / JAN-13●UPC-A●JAN-8●Code11●UPCE0 	2D	<ul style="list-style-type: none"> ●MICRO QR●□□□□●QR ●AZTEC●PDF417
□□	<ul style="list-style-type: none"> ●□□25□□●□□25□□-□□25□□ ●□□39-□□●□□39-□ASCII●□□32 ●Code93-□□●Code93-□ASCII●Code128 ●EAN / GSL / UCC-128Auto●Codabar●MSI ●EAN / JAN-13●UPC-A●JAN-8●Code11●UPCE0 				
2D	<ul style="list-style-type: none"> ●MICRO QR●□□□□●QR ●AZTEC●PDF417 				
□□□□	□□360°□□□30°□□□45°				
□□□□	Code39 4.17mil□15□□□□6cm-12cm				
	Code128 4.17mil□16□□□□7cm-10cm				
	□□□□10.83mil□8 bytes□□5cm-16cm				
	□QR 1083mil□8 bytes□□7cm-12cm				

□□□□	
IP□□	IP52
□□□□	0□50°C/ 32□122°F
□□□□	0□50°C/ 32□122°F
□□□□	20□□85□□□□□□□□
□□□□	20□□85□□□□□□□□
□□□□	15KV□□
□□□	□1.5m□□□□□□□□□□





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019





OCBS-2019



