

CCD

M / N OCBS -B241



628nm CCD

2500 CCD

150

2M 10,000

HID&SPP

USB

	20m
	3.0
	IOS Android Win7 --- Win10
	2MB
	CCD
	LED 622nm-628nm
	300/
	4MIL PCS = 0.9 Code 39
	2500
	40 430
	1/5
	+ 30 60 65

□□□□	UPC-A, UPC-E, EAN-8, EAN-13, EAN-14; UCC/EAN 128, Code 128, Code 39, Code 39, Full ASCII; Codabar/NW7, Code 93, Code 11, MSI/PLESSEY, UK/PLESSEY; Interleaved 2 of 5 Industrial 2, of 5, Standard 2, of 5, Bearer 2 of 5; Matrix 2 of 5, Deutsche 14, Deutsche 12; Bookland, CIP Code, DUN 14, ITF 14, German Post, ITF 16, ITF 6; LOGMARS, ISBN, ISSN, ISBT, IMEI, Canadian, Customs; GS1 Databar(RSS).
□□□□	USB
□□□□	
□□□□	□□100mA□□□45Ma□1mA□
□□	DC3.3V□□□□□0.33W
□□	LED□□□□□□□□□□
□□□□	
□□□□	-20□60□□□
□□□□	-40 C□+ 85 C
□□	5□□95□□□□□□□
□□□□	0□100000lux



OCBS-B241





OCBS-B241





OCBS-B241





OCBS-B241





OCBS-B241






OCBS-B241







BARCODE SCANNER
BATTERY: DC 3.7V , 850mAh
For iOS / Android / Windows OS
CE FC RoHS
Caution:
Red light when open.
DO NOT STARE INTO BEAM
MADE IN CHINA





OCBS-B241





OCBS-B241

