

# CCD

## OCBS-C017/C017H

### Product Description

OCBS

CCD  
 300mm/s  
 4 Mil  
 1D

OCBS

OCBS	OCBS -C017	OCBS-C017H
Material	ABS+PC	
IP	IP42	
Interface	USB	
Processor	32-bit ARM	
Light Source	LED	
Power Supply	DC 5V±5%	
Power Consumption	375mW; 226mW; 750mW	
ESD	15kV	
Resolution	1.5m	
OS	Linux, Windows XP, 7, 8, 10	
Resolution	1500 CCD	2500 CCD
Resolution	Resolution	
Resolution	Code 39 417, 15, 4 - 8 Code 128 4.17, 16, 7 - 15	
Resolution	25	
Resolution	≥4 PCS90, 39	
Resolution	1/5	
Resolution	≥25	
Resolution	LED + LED	
Resolution	360°, 30°, 45°	
1D	Code 25 Interleaved, Code 25-Standard, Code 25-Matrix, Code 39-regular, Code 39-fullascii, Code 32, Code 93-regular, Code 93-Fullascii, Code 128, EAN/GSL/UCC-128AUTO, Codabar, MSI, EAN/JAN-13, UPC-A, 1, 8, UPCE	
Weight	200g	
Dimensions	195*105*80mm	
Dimensions	30 1, 560*410*260/6.2	
Dimensions		
Dimensions	0 45, 10, 80	
Dimensions	-20, 60, 10, 90	







