

5" Android 7.0
OCBS -D5000

▶ Product Description

□□□

- Android 7.0
- 1GB RAM □ 16GB ROM
- Gorilla 5.0 □ 720 * 1280 Gorilla □□□□
- □□□□ IP65 / 1.5m □□
- □□□□□□□□ 3.7V □ 8000mAh □□
- □□□□ 8 MP □ LED □□□□□□□□
- □□ 4G / Wifi / GPS / □□
- HHW Software Development Kit
- 1D / 2D Barcode Scanner □□□□
- RFID L / HF / UHF / NFC □□□□
- TCS 1S M Capacitive □□□□□□□□□□

□□	
□□□□	
□□	170□□□□□□ x 85□□□□□□ x 23□□□□□□ ± 2□□
□□	□□□ 380g □□□□□□□□□□□□
□□	Gorilla 5.0 □□ TFT-LCD □ 720x1280 □□□□□□□□
□□	LED □□
□□	3 □ TP □□ 6 □□□□□□ 4 □□□□
□□	2 □ PSAM □ 1 □ SIM □□ 1 □ TF
□□	□□□□□□□□□□ 3.7V □ 8000mAh
□□□□	
□□□□□□	□□ A53 1.5GHz □□
□□□□	Android 7.0
□□	2GB RAM □ 16GB ROM □ MicroSD □□□ 32GB □□□
□□□□	
□□□□	-20°C □ 50°C
□□□□	-20°C □ 70°C
□□	5 □ RH □ 95 □ RH □□□□□□
□□□□	5 □□ / 1.5 □□□□□□□□□□□□□□□□□□
□□	IP65 □□□ IEC □□

ESD	±15kv□□□□□±8kv□□□□□±8kv□□□□□	
□□□□		
SDK	HW□□□□□□□	
□□	Java□	
□□	Android Studio□Eclipse	
□□□□		
WWAN	TDD-LTE□□38,39,40□FDD-LTE□□1,2,3,4,7; WCDMA□850/1900 / 2100MHz□□; GSM / GPRS / Edge 850/900/1800 / 1900MHz□;	
WLAN	2.4G / 5G□□□IEEE 802.11 a / b / g / n / ac	
WPAN	□□Class v2.1 + EDR□□□v3.0 + HS□□□v4.0	
□□□□□□	GPS□□□□A-GPS□□□□□□5□	
□□□□□		
□□□□□□□□□□		
1D□□	□□□□□□□	□□□□N431x
	□□	□□□□□□□□□□
	2D CMOS□□□	□□□□N6603
□□□□	□□	PDF417□MicroPDF417□Com pos ite□RSS□TLC-39□Datamatrix□QR□□Micro QR □□Aztec□MaxiCode□Pos tal□□□□□□□□□□Pos tal□ □□□□□□□□□□Pos tal□□□□□□□□□□Pos tal□□□□
□□□□□□		
□□□	800□□□□	
□□	□□LED□□□□□□□□□□	
RFID□□□□□□□□		
RFID LF	□□	□□125KHz / 134.2KHz□FDX-B / HDX□
	□□	ISO 11784& 11785
	R / W□□	2□□□10□□
RFID HF	□□	13.56MHz□
	□□	ISO 14443A& 15693
	R / W□□	2□□□8□□
RFID UHF	□□	865~868MHz□920~925MHz
	□□	EPC C1 GEN2 / ISO 18000-6C
	□□□□	□□□□□□2dBi□
	R / W□□	1□□1.5□□□□□□□□□□□□□□
□□2.45GHz	□□□□□□□□200□□□□□□□□	
433MHz□	□□□□□□□□200□□□□□□□□	
ZigBee□□□□□□□□		
□□	IEEE 802.15.4□□□□□	
□□□□	100□□200□□□□□□□□	
□□□□□□□□□□		
□□□	TCS1SM	
□□□□□□	□□□□□□□□□□	
□□□	508 DPI	
□□	FRR <0.008□□FAR <0.005□	
□□	1000	
PSAM□□□□□□□□		
□□	ISO 7816	
□□□	9600,19200,38400,43000,56000,57600,115200	
□□	2□□□□□□□□□□	
□□		

□□	1xPower□□ 1x□□□□□□ 1xDC□□□ 1xUSB□□□
□□□	□□□□□□UHF□□□

▶ Picture Show



OCBS-D5000







OCBS-D5000





OCBS-D5000





OCBS-D5000



▶ Company



▶ Certificates



▶ Payment



▶ Contact us

tePay CartaSi 4B Euro6000

5.

6.

Eruopean

159 2300 O2 500 50

OCOM

- 500 POS Auto-ID
- O2 Star
- 2300 159;
- 11 OEM / ODM
- POS
-
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
-

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS ISO CE FCC

OCOM “ ” OEM / ODM

Relevant documents:

[UHF9SDK_Com13_v1.5](#)