

2D

M / N OCBS -T210

□□□□	
□□	□□650nm LED
□□□□□□	1280 * 720
□□□□□□□□	□□25□□□□□□
□□□□	45°□□□□x 35°□□□□
□□/□□/□□	360°/±65°/±60°
□□	□□□□600cm□□□□□□
□□□□	□□LED□□□□□
□□	USB□RS232
code□2D	PDF417□MicroPDF417□□□□□□□□ Maxicode□QR□□□□□□□□MicroQR
code□1D	UPC / EAN□□□□128□□□□39□□□□39□□□□93□□□□11 □□2□5□□□5□2□□□5□2 Martrix 2 of 5□Codabar□MSI / Plessey□GS1□□□□
□□□□	
□□□□	5V DC±5□
□□-□□	90□□
□□-□□	400□□
□□□□	
□□□□	104□□×□□□96□□□□□□×166□□□□□□
□□□□	300g□□□□□□□□; 530g□□□□□□□□□□
□□□□	ABS
□□□□	USB□HID□□□□□□□□□□
□□□□	
□□□□	32°□122°F / 0°□50°C
□□□□□□	-40°□158°F / -40°□70°C
□□□□	5□□95□□□□□□□□
□□/□□□□□	□□10G 0.06□□□□□□□□
□□□□□□□□	□□□□1600 Lux□□□□□□□□□□□□ □□□□□□□□86,000 Lux□



OCBS-T210





OCBS-T210

