

□□□□□□□□/□□□□□□□□

□M/N□OCBS-W217)

□□□

□□□□□□□□

□□□□□□

4□□□□□□□□□□

2.4G□□□□USB□□□□□□

1200□□□□□□□□□□12□□□□

350KB□□□□□□□□20000□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□	
□□	OCBS-W217
□□	□□
□□	ABS+PC
□□□□	IP42
□□□□	32□ARM□□□□DSP
□□	100□2.4G□□
□□	□□5V±5%
□□	USB
□□	1200mAh
□□□□	375mW□□□□□□226mW□□□□□□750mW□□□□□□
□□□□	□□□□□□□□(LED)
□□□□	□□□□□□□□□□□□
□□	350KB
□□□□	12□□
□□□□	4□□□
□□□□□□	15KV□□□□
□□□□	1.5m□□□□□□□□□□□□
□□□□	Linux□Android□Windows XP□7□8□10□MAC
□□	
□□□□	CMOS□□□□
□□	□□LED(□□)□□LED(□□)
□□□□	□□
□□□□□□	≥25%
□□□□	≥4mil□□PCS90%,□□39□
□□□□□□	25□□/□
□□□□□□	□□360°□□□□30°□□□□45°

□□□□	Code39 4.17mil□15□□□□4cm-8cm Code128 4.17mil(16□□):7cm- 15cm □□□□10.83m□8□□□□3cm-9cm □□ QR 20mil□8 □□□□1cm- 19cm
□□□	1/5 □□
□□□□	1D□Code25-□□□Code25-□□□Code25-□□□ Code39-□□□Code39- FullASCII□Code32□Code128□EAN/GSL/UCC-128Auto□Codabar□MSI□EAN/JAN-13□UPC- A□JAN-8□UPCE 2D□QR□□□□□□PDF417
□□	
□□	□□□289□
20 □ 1 □	455*415*210mm/6.65kg
□□	
□□□□&□□	0□45°C□10%□80% □□□
□□□□□□□	-20□60□□□□10%~90%□□□











