

**2D**  
M / N OCBS-W234

□□□

□□□□2.4 GHz□□  
 80□□□□□□  
 1□ □□□□□□□□□□  
 190□□□□□□□ □□□40,000□  
 □□ □□□□□□□□□□12□□  
 □□□□□□□□□□□□

□□□□	
□□	ABS + PC + TPU
□□	□□5V±5□
□□□□	190□□□□□□□□
□□	3.7V 2000mAH 18650□□
□□□□	6□5□□□
□□□□□□□□	>12□□
□□	1□70□±5g
□□□□	
□□ □□□□□	2.4GHz□
□□□□	50-80M
□□	□□LED□□+□□LED
□□	2M□□ 40000 □ □□□□□□□
□□□□	Codabar□Code11□Code39 / Code93□UPC / EAN□Code128 / EAN128□InterLeaved2of5□Matrix2of5□MSI CODE□Standard2of5□ □□□□□□□□□PDF417
□□□	Code39 5□□□QR 870□□□ PCS45□
□□	5MIL CODE39□5--12□□ 15MIL CODE39□4--25□□ 10MIL CODE93□4--21 CM 15MIL UPC / EAN□4--25□□ 20MIL QR □ 4--25□□
□□□□	400□/□
□□□	1/5□
□□□□	□□□□
□□□□	5 * 5cm2-30 * 30cm2
□□□□	□□□□□□□□□□□□□□
□□□□□□	35□
□□□□	□□0-360°□ □□±65°□ □□±60°
□□□□	
IP□□	≥IP54
□□□□	0□50oC / 32□122oF
□□□□	0□50oC / 32□122oF
□□□□	5-95□□□□□□□□
□□□□	5-95□□□□□□□□
□□□□	15KV
□□□	1.5M□□□□□□□□□□



OCBS-W234





OCBS-W234





OCBS-W234





OCBS-W234





OCBS-W234

