

□□□□□□□□□□□□□□□□

□M/N□OCBS-W239)

□□□



2.4G□2.4G □□□□□

30□□□□□□□□□□□□□□□□

□□□□□□□□20,000□□

□□□□□□□□□□□□

□□□□□□□□

□□□□□□□□□□

□□

□□	
□□	OCBS-W239
□□□□	2.4G□2.4G□□□□
□□	3.7V/2500mAh□□□□20000□□
□□□□	LED / □□□
□□□□	4.2V±10% VDC
□□□□	226□□
□□□□	204□□
□□□□	96□□
□□□□	□□□□ 1.5m □□
□□	
□□	□□□□□□□□
□□	□□□□□□□□
□□□□□□	CMOS
□□□□□□	640*480
□□□□□□	≥ 20% □□□□□□
□□□□	Roll/Pitch/Yaw:65°□Yaw□,65°□Pitch□,360°□RoI□
□□□□	ID :Codabar,Code 39,Code 32 Pharmaceutical (PARAF),Interleaved 2 of 5,NEC 2 of 5,Code 93,Straight 2 of 5 Industrial,Straight 2 of 5 IATA,Matrix 2 of 5,Code 11,Code 128, GS1-128,UPC-A,UPC-E,EAN/JAN-8,EAN/JAN-13, MSI,GS1 DataBar Omnidirectional,GS1 DataBar Limited,GS1 DataBar Expanded,□□□□(□□ 2 of 5),□□□□ □□□□Codeblock A,Codeblock F,PDF417, Micro PDF417,GS1 Composite Codes,QR Code,Data Matrix,MaxiCode,Aztec,HanXIN
□□□□□□	Code39(4mil):6-15cm ,Code39(5mil):4-20cm,Code39(13mil):6-35cm QR(15mil):4-20cm, QR(20mil):3-25cm, QR(30mil):3-35cm UPC-A(1300 □):4-35cm,ENA-13(500 □):6-15cm,ENA-13(500 □):3-35cm
□□□□	
□□	□□□290g
□□	122*165*105mm/493g
30□1□□	525*430*360mm/16.5kg
□□	
□□□□□□	0□45□□□□10%~80% □□□
□□□□□□	-20 □ 60 □□□□10%~90% □□□

Wireless 2D Barcode Scanner

Model: OCBS-W239



Support 1D&2D Code Scanning




Superior Decoding Capability

Support mainstream 2D/full 1D/screen bar codes




Multisystem Compatibility

Compatible with XP/Win7/Win8/Win9/Win10/Win11/Mac osx/Linux



Two Uploading Methods



Support Plug and Play

Connect to a USB port on your PC



□□□□

[OCBS-W239□□□□](#)