

OCPP -586 POS 58

OCPP -586



□□□

□□□□□□□□

□□□□□□

□□□□□

□ESPON□□

□□□□□□50KM

□□□

□□□□	□□□□
□□□□	384□/□□203DPI□
□□□□	384□/□□ANK□□□□□□A□12 * 24□□1.5□W□* 3.0□H□mm □□/□□□24 * 24□□3.0□□□* 3.0□□□mm
□□□□□□	JAN13□EAN13□JAN8□EAN8□CODE39 QR□□□□□□
□□□□	□EPSON ESC / POS□□
□□	OEM437 / □□□/ OEM850 / OEM860 / OEM863 / OEM865 / □□/□□/□□□/□□/ □□/ WPC1252 / OEM866 / OEM852 / OEM858 / IranII / □□□□/□□□□/ PT151,1251 / OEM747 / WPC1257 / □□/ OEM864 / □□□□/ WPC1255 / □□
□□□□	90□□/□
□□□□	57.5±0.5□□
□□□□	0.06-0.08mm
MCBF□□□□□□	50□□
□□	190 * 132 *119□□
□□□	1.2KG
□□□□□□	□□□□□□
□□□	□□□□□□□□□□□□□□□□□□□□
□□	Φ75mm
□□	RS-232C□□□□USB□LAN□□□□□□
□□	□□□ESPON□□□Win 9X□Win 2000□Win 2003□Win XP□Win Vista□Win 7
□□□□□□	DC12V / 3A
□□□□□□□□	DC12V / 1A
□□□□	0-45□□□□□□□□10-80□
□□□□	-10-60°C□□□□10-90□



OCPP-586





OCPP-586





OCPP-586



□□□□□

