

wifi 80mm pos

OCPP-80K

8

100M

256KB NV Logo 256kb

48mm 80mm

POS/JPOS

150KM

	OCPP-80K
	80mm
	USB/ USBLan/ USBBT/ USB WiFi/ URL WIFI/ URLBT/ USBRS232
	AC 100V-240V, 50-60Hz, DC 24V/ 2.5A
	24V/1A
	Max.20K
	150KM
	256K NV Flash 256K
	OS/Windows
	CE/FCC/Rohs
	576/512/80/203dpi
	200mm/s (U/UR) 260 (U/L/UBT/ U WIFI) 300mm/s (URL/ URL BT/ URLWIFI)
	72mm
	POS
	UPC-A/ UPC-E/ JAN13/EAN13/ JAN8/EAN8/ CODE39/ ITF/ CODABAR/CODE93/CODE128 QR CODE USB/UR
	GB18030
	384/ANK 12 * 24 1.5(W) * 3.0(H) mm FontB: 9*17dots, 1.1(W) * 2.1(H)mm 24*24 3.0(W) * 3.0(H)mm
	PC437 / PC850 / PC860 / PC863 / PC865 / / / / WPC1252 / PC866 / PC852 / PC858 / Iranll / PT151, 1251 / PC737 / WPC / 1257 / Thai/Vietnam / PC864 / PC1001 / PC1001D/PT151D/1251D/WPC1257D/PC864D/
	48mm/ 52mm/ 56mm/ 64mm/ 68mm/ 76mm/ 80mm

0000
0000
000
000
00
00
000
120100
00
00000
00000

0.06~0.08mm
83
196*145*135mm
1.65
300*190*180
615*370*535mm/21.5kg
04510%~80%
-20 60 10%~90%



OCP-80K





OCPP-80K





OCPP-80K





OCPP-80K





OCPP-80K





OCPP-80K





OCPP-80K





OCPP-80K





OCPP-80K







OCP-80K



□□□□

[OCP-80K](#)□□

[OCP-80K](#)□CD