

OCPP-80T Win10 opos 80 OCOM pos

OCPP-80T

OCPP

OCPP-80T
 100M
 256KB NV Logo 256kb
 POS/JPOS
 100KM

OCPP-80T

OCPP	OCPP
OS	ESC/POS
Resolution	576x128 1200x240
Thickness	72mm
Interface	USB / U+ / U+WIFI
Power	200mA (UL) 2.60W (UL)
Height	80mm
Weight	0.06~0.08mm
Drum Diameter	83mm
Capacity	256kbytes
Flash	256kbytes
Barcode	A12*24 B9*17
Barcode	GB18030, BIG5 24x24
Barcode	PC347(ASCII), PC850(ASCII), PC860(ASCII), PC863(ASCII), PC865(ASCII), WPC1252, PC866(Cyrillic#2), PC852(ASCII), PC858, IranII, Latvian, Arabic, PT151(1251)
Barcode	UPC-A/UPC-E/JAN13 EAN13 /18 EAN8 /CODE39/ITF/CODABAR/CODE93/CODE128
Barcode	USB U+
Barcode	100mm
Barcode	100mm
Barcode	100mm
Barcode	100V-240V 50/60HZ
Barcode	24V/2.5A
Barcode	0°C~45°C 10%~80%RH
Barcode	-10°C~60°C, 10%~90%RH
Barcode	CD
Barcode	180(D)x142(W)x136(H)mm
Barcode	1.14mm
Barcode	1.8mm
Barcode	Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS
Barcode	iOS

OEM/ODM

FAMOUS PARTNER BRANDS



[Click here](#)


Customized Your LOGO




Customized Your Packaging



Support Customer's Idea To Do The Design





80MM Thermal Printer with Auto Cutter

OCPP-80T



	Windows	LINUX	
	Android	IOS	

Direct Thermal Printing

Without the printing ink and ribbon etc traditional consumables,
Low material cost



Thermal Receipt Paper
Paper Width: 80mm
Roll Dia: Max. Ø 83mm

Packaging accessories

SMART PRINTING




Beautiful packaging, original accessories



- 01 Machine
- 02 Thermal Paper
- 03 Paper Roller
- 04 Power Cable
- 05 USB Cable
- 06 User Manual

Easy Paper Loading

One button operation, abandon the traditional paper loading structure, and directly put the paper in, easy to operate



APPLICATION

