

Android IOS 2

OCPP-M06

OCPP -M06 Android IOS + Android Window Linux JAVA 58 pos
 USB RS232 8
 CE FCC

OCPP -M06 Android IOS JAVA Windows 2

Table

Dimensions (mm)	105x75x45	
Weight (g)	134	
Material		
Interface	ESC / POS	
Resolution	48	
Print Speed	90mm / sec	
DPI	8 / 203dpi	
Print Size	12x24 / 24x24	
Print Width	32 / 16	
Print Length	1.5 x 3.0 / 3.0x3.0	
Print Thickness	58.0±0.1mm x 40.0mm	
Print Precision	0.06 / 0.08mm	
Print Language		
Connectivity	USB RS-232	
Memory	256KB	
Power Supply	9V DC / 2A	
Battery	7.4V DC / 1500mAh; 4-5 / 120-150m	
Barcode		
Barcode Length	10 / 50 / 10 / 90	
Barcode Width	20 / 70 / 5 / 95	
Barcode Height	30 ASCII	
Barcode Content	" 1234" 6	
Barcode Spacing	3.5 * 1.1	
Options	OCPP -M06-BB	Android USB + COM +
	OCPP -M06-BB-AI	Android + IOS USB + COM +
	OCPP -M06-B	Android USB + COM +
	OCPP -M06-U	Android USB + COM
	OCPP -M06-BB-AA	Android + IOS USB + COM + 7 android + 1

Table



* □□

* □□□□

* □□□□□

* Win□□□□□□

* Linux□□

* □□□□□□□□

* USB□□□□□□□□□□

* □□□□□□□□□□□□

*[www.android.com](#)

*[www.google.com](#)