

OCBS -T103

OCBS -T103

# Product Description

OCBS

- 32mm x 83mm x 75mm
- 20mm x 98.3mm x 100mm
- RS232/USB
- 2W
- IEC 60825-1 Class II

OCBS

OCBS	
Wavelength	650 nm
Interface	KBW/RS232/USB
OCBS	
Dimensions Lx W x H	140mm * 83mm * 75 mm 157 mm * 98.3 mm * 100 mm
Weight	282g; 379g
Power	2W
Compliance	CDRH IIa; IEC 60825-1
OCBS	
Operating Temp	0°C - 40°C
Storage Temp	-40°C - 70°C
Beam Diameter	5mm
Beam Divergence	1.2mrad
Irradiance	450 Ft @ 4844 Lux 8000Ft @ 86111Lux
OCBS	
Beam Class	Class II
Beam Color	Red
Beam Angle	0~360°
Beam Accuracy	+/- 50µm
Beam Diameter	25mm
Beam Length	0~216mm @ 13mil/100µm UPC / EAN

□□□□□	5mil□□38□□10~64mm 7.8mil□□60□□0~152mm 10.4mil□□80□□0~190mm 13mil□□100□□0~216mm
□□□□□	5mil
□□□□□	UPC / EAN / JAN□UCC / EAN 128□Code128□Code 39□Code 39 Trioptic□Interleaved 2 of 5□Industrial 2 of 5□Matrix 2 of 5□Code 93□Code 11□Code bar□MSI□□

▶ Picture Show





OCBS-T103





OCBS-T103





OCBS-T103





OCBS-T103



## ▶ Company



## ▶ Certificates



## ▶ Payment



## ▶ Contact us



Richard Hu



## OCOM Technologies Limited

---

**Add:** 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

**Tel:** 0086.755.8605.3207 ext 808

**Fax:** 0086.755.8605.3207 ext 868

**Web:** [www.ocominc.com](http://www.ocominc.com)

**E-mail:** [richard@ocominc.com](mailto:richard@ocominc.com), [richard@ocomtech.com.cn](mailto:richard@ocomtech.com.cn)

**Skype:** ocominc2000; **MSN:** ocomtech@hotmail.com

**Ali TM:** szocominc; **QQ:** 2485890637

**Mobile/Wechat/Whatsapp:** 0086. 133 5293 2860



Reliable One-Stop Supplier for POS and Auto-ID Related Products