



□□	Intel Celeron Bay Trail J1900 2.0GHz □□□ intel core I3 / I5 4□ □□□CPU	Rockchip□□RK3288□□□1.8G□□□RK3399
□□□□	1*SO-DIMM DDRIII□□□□□1333*/1600 4GB □ □□2GB/8GB□□	□□ DDRIII 1GB□2GB□4GB □□
□□□□	Msata SSD 64GB □□□□□□ 256GB	□□8GB,16GB ,32GB EMMC□□
□□	□□ Real Tek ALC662	□□Real Tek ALC5640□□□□
□□□	10/100Mbs,Realtek RTL8111F □□ □□Mini PCI-E□□□□□□□□WIFI□□	10/100Mbs,Realtek RTL8111F □□□□□ □□Wi-Fi 802.11b/g/n□□□BT3.0/BT4.0
□□□□	Windows7/8/10□□□□□WEPOS, Linux	□□ Android 8.1
□□□		
□□ I/O □(J1900/RK3288)	□□□*1 12V DC □□*1	
	□□□□RJ-45*1 USB*4	
□□ I/O□ J1900	15PIN D-sub VGA *1 HDMI*1 □ RS 232*1 □□ □□□□*1□□□□□□*1	
□□ I/O□ RK3288	□□□□*1 TF□□□□*1 RJ11 □□□□*1 RS 232*1	
□□		
MSR	□□□ MSR	
□□		
□□□□	0 □ 40 □□□	
□□□□	-10 □ 60 □□□	
□□□□	10%~80% □□□	
□□□□	10%~90% □□□	
□		
□□	□□ 5.5Kg□□□ 7.0Kg	
□□□□□□	440*290*425mm	
□□		
□□□□□	110-240V/50-60HZ□□□□□□□□DC12V/5A□□□□□	
□□□	□□□□□□□□□/□□/□□□□□□□□	
□□		
□□□	FCC A □/CE □□/ LVD/CCC	







POS-1513









POS-1513





POS-1513







POS-1513





POS-1513

