

15寸 POS

POS-1513W&POS-1513A)

□□□

□□□□□□□□□□ I3 I5 □□□□□□□□
 □□□□RK3288□□□□□□
 EMMC 8GB/16GB/32GB □□□
 □□□□□ Msata SSD 64GB □ SSD 128GB □ 256 GB □□□
 □□□□□□□□□□
 □□□□ MSR □ VFD220 □□□□□□□□□□
 □□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□□□

□□

□□	POS-1513W	POS-1513A
□□	15.1寸□□□□□□ POS □□	
□□	□□□□□□□□	
□□	□□□□□□	
□□		
□□□	15.1寸□□□□□□	
□□□	1024*768	
□□	2	
□□	□□□160□□□□150	
□□□	□□□□GG□□□□	
□□□	9.7寸□□□□□□□□□□	
□□□□	2*20 VFD □ 2*20 LCD □□□□□□□□□□	
□□		

□□	Intel Celeron Bay Trail J1900 2.0GHz □□□ Intel core I3 / I5 4 th □□□□□ CPU	Rockchip□□RK3288□□□1.8G□RK3399□□
□□□□	1*SO-DIMM DDRIII □□□□□□1333*/1600 4GB□ □□2GB/8GB	□□ DDRIII 1GB□2GB□4GB □□
□□□□	Msata SSD 64GB □□□□□□ 256GB	□□8GB,16GB ,32GB EMMC □□
□□	□□Real Tek ALC662	□□Real Tek ALC5640□□□□
□□□	10/100Mbs,Realtek RTL8111F □□ □□Mini PCI-E□□□□□□□□WIFI□□	10/100Mbs,Realtek RTL8111F □□□□□□ □□Wi-Fi 802.11b/g/n□□□BT3.0/BT4.0
□□□□	Windows7/8/10□□□□□WEPOS, Linux	□□ Android 8.1
□□□		
□□ I/O □(J1900/RK3288)	□□□*1	
	12V DC □□□□*1	
	□□□□RJ-45*1	
	USB*4	
□□ □□□□□ J1900	15PIN D-sub VGA *1	
	HDMI*1 □ RS 232*1 □□	
	□□□□*1□□□□□□*1	
□□ I/O□RK3288	□□□□*1	
	TF□□□□*1	
	□□□□RJ11*1	
	RS 232*1	
□□		
MSR	□□□ MSR	
□□		
□□□□	0□40□□□□	
□□□□	-10□60□□□□	
□□□□	10%~80% □□□	
□□□□	10%~90% □□□	
□		
□□	□□ 5.5Kg□□□ 7.0Kg	
□□□□□□	440*290*425mm	
□□		
□□□□□	110-240V/50-60HZ□□□□□□□□DC12V/5A□□□□□□	
□□□	□□□□□□□□□□/□□□□□□□□□□	
□□		
□□□	FCC A □/CE □□/ LVD/CCC	







POS-1513







POS-1513





POS-1513







POS-1513

