

## 15.1" POS

### POS -15T02



OCOM POS -15T02 - SERIESE CPU / O

MSATA SSD 64GB / SSD 128GB AN 256 GB

MSR VFD220

USB

MSR VFD220

USB

USB

Table header

Model	POS -15T02
Screen Size	15.1" POS
Material	ABS
Resolution	1024 * 768
Brightness	250cd / m. <sup>2</sup>

□□	□□□□160;□□□150
□□□	□□□□G + G□□□□
□□□□	2 * 20 VFD□2 * 20 LCD□□□□□□□□□□□□
□□	
□□	□□□□□Bay Trail J1900 2.0GHz□□□□□□□□□□I3 / I5□4□CPU□□
□□□□	1 * SO-DIMM DDRIII□□□□□1333 * / 1600 4GB□□□□□□□2GB / 8GB
□□□□	MSATA SSD 64GB□HIGEL□□□256GB
□□	□□Real Tek ALC662
LAN	10 / 100MBS□Realtek RTL8111F LAN□□ □□□□□□□□□□□□□□WiFi□□
□□□□	Windows7 / 8/10□□□□□□□□□□POS□Linux
□□	
□□ / O□□□□J1900□	□□□□* 1 12V DC□□*1 LAN□RJ-45 * 1 USB3.0 * 1□USB2.0 * 5 COM□RS232□* 2 VGA□15pin d-sub□* 1 □□□□* 1□□□□□□* 1
□□	
MSR.	□□MSR.
□□	
□□	□4.8kg □6.5kg
□□□□	420 * 260 * 410mm
□□	
□□□□	0□40□□□□
□□□□	-10□60□□□□
□□□□	10□□80□□□□□□
□□□□	10□□90□□□□□□
□□	
□□□□	□□□□110-240V / 50-60Hz AC□□□□□□□□□□□□/□□□□□□□□□□□□
□□□□	□□□□□□□□□□□□□□□□
□□	
□□	FCC□A / CE Mark / LVD / CCC



POS-15T02





POS-15T02







POS-15T02





POS-15T02





POS-15T02









POS-15T02





POS-15T02





POS-15T02





POS-15T02

