

Windows Android POS

M / N POS -A15.6 / A15.6-A

□□□

- Windows Intel Celeron J1900 2.0GHz CPU
- Android 2.0GHz RK3288
- 2GB RAM + 8GB ROM Android
- 4GB RAM + 64GB SSD Windows
- □□□□□□□□
- 58mm 80mm □□□□□□□□□□
- MSR RFID □□□□□□□□
- □□□□□□□□

□□□□□

- □□□□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□

□□□

□□	POS -A15.6 / POS -A15.6-A
□□①	Intel Celeron J1900 2.0GHz
□□②	2.0GHz RK3288
OS①	Windows 7
OS②	Android 6.0
□□①	4GB RAM 64GB SSD
□□②	2GB RAM 8GB ROM
□□□	□□□□□□
□□□□	15.6" 15.6"
□□	□□□
□□□	58mm 80mm □□□□□□□□□□
I / O □□□① J1900	USB * 4
	RJ45 * 1
	RJ11 * 1 □□□□
	VGA * 1
	□□□□ * 1 □□□□□□ * 1
	DB9 RS232 * 1

I / O @RK3288	RJ11 * 1
	TF * 1
	RJ45 * 1
	USB * 2
	* 1
	USB OTG
	0°C ~ 40°C
Android	WIFI
Windows	I3 I5 CPU LCD VFD RFID MSR camera 3G DB25 DB9 RS232 * 3
Android	3G / 4G camera LCD VFD RFID MSR
	-20°C ~ 60°C
	46 * 43 * 51
	110-240V / 50-60HZ AC DC12 / 5A







POS-A15





POS-A15

