

Android POS

Z90

□□□□

□□□□	
□□□□	Android 5.1
□□	□□□1GB
□□□□	□□□8GB
□□□	5.0□□
□□□	□□□□□□□□□□ □□
□□	□□□5600□□□□3.7 V
□□	□□4.0
□□	5□□□□□□
Pos□□□□	GPS AGPS WLAN□□Pos□□
□□□□	58mm□□□□30mm□□□□
□□	□□USB
POS□□	
□□□□□	□□□□□□□□ □□ISO1788 / 7812□AAMVA□□
IC□□□□	□□ISO7816□□
□□□□□□□□	□□ISO / IEC 14443 A&B□Mifare□felica □□□□EMV / PBOC PayPASS □□
PSAM□	□□□□□□□□□□
□□□□	□□□□□□□□□□□□ PCI□□ □□□□ EMV / PBOC3.0 L1□L2□□ EMV / qPBOC3.0 L1□L2□□ □□□□□□□□□□□□
□□□□	
□□□□	GSM□WCDMA□TD-SCDMA□FDD-LET□TDD-LTE
□□□□	GSM850 / 900/1800/1900
	WCDMA2100 / 1900/900/850
	TD-SCDMA B34 / B39
	FDD-LTE B1 / B2 / B3 / B4 / B5 / B7 / B8 / B20
	TDD-LTE B38 / B39 / B40 / B41
□□□□□□	IEEE802.11.b / n / g
□□□□	
□□	191□□×80□□×46□□
□□	650□
□□□□	-20°C□60°C
□□□□	-40°C□80°C
□□	10□□90□RH□□□



POS-Z90





POS-Z90





POS-Z90





POS-Z90

