

CCD  
OCBS-W900

CCD

300/ CCD  
CDD  
8KB

CCD

|   |  |
|---|--|
| Belutooth   |  |
| CCD   |  |
| 1500  |  |
| 300/  |  |
| EAN-13 EAN-8 UPC-A UPC-E<br>128 93 ITF-6 ITF-14 5<br>5 2 5 GS1 Databar 39<br>11 |  |
| ≥4mil   |  |
| LED 610nm 640nm   |  |
| 39 5mil 65 175<br>EAN-13 13mil 55 605   |  |
| ±60° @ 0° 0°<br>±30° @ 0° 0°<br>±60° @ 0° 0°                                    |  |
| ≥30   |  |
| 0.30W   |  |
| 3.2 3.6V DC   |  |
| 100mA<br>10uA   |  |
| AC100 240V 50 60HZ;<br>DC 5V  |  |
| 168 * 93 * 72   |  |
| 198   |  |
| -20°C + 60°C  |  |
| -40°C + 85°C  |  |
| 5 95  |  |
| 0 100 000 LUX   |  |

CCD

CCD-W900 300/ 5.8KB



32bit decoder ensuring excellent decoding ability



## All-round show



## Other Products



Bluetooth Communicate Long Distance CCD Barcode Scanner(OCBS-W800C)



Long Distance Red Light CCD Barcode Scanner (OCBS-C004)



Long Distance CCD Screen Barcode Reader (OCBS-C380)

**OCOM** POS TUV

OCOM POS PDA POS  
CE FCC