

IOS58 POS  
OCPP-M03

規格

寸法	105×75×45	
重量	134	
電源	AC	
電源電圧	48	
電源電流	0.5	
電源消費電力	ESC / POS	
印刷速度	90mm/sec	
印刷解像度	8/203DPI	
印刷幅	12X24 / 24x24	
印刷線数	32 / 16	
印刷精度	1.5×3.0 mm / 3.0x3.0mm	
印刷歪み	58.0mm ±0.1mm X40.0	
印刷厚さ	0.06/0.08	
印刷材質	紙 / 厚紙	
接続	USB RS-232	
通信速度	5K	
電源電圧	9V DC/2A	
電源電流	DC /1500mA 7.4V; 4-5	
電源消費電力	120-150M	
印刷幅	100-100mm 50mm 100mm 90	
印刷幅	100-200mm 70mm 50mm 95	
印刷幅	30 ASCII	
印刷幅	"1234" 6	
印刷幅	3.5 *1.1	
オプション	OCPP-M05-BB	Windows Java
	OCPP-M05-BB-AI	IOS Windows java
	OCPP-M05-UB	USB Windows java
	OCPP-M05-U	USB Windows java
	OCPP-M05-B	Windows Java
	OCPP-M05-UC	USB Windows Java
	OCPP-M05-BC	Windows Java
	OCPP-M05-C	



## 58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



### Product Picture



## Features

### *Simple but not easy*

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;  
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.  
100km TPH Life



Low power consumption and large capacity Lithium battery.



## All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



## Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

## Paper Roll Installation





- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

---

## Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C



# Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.



□□□□

\*□□□

\*□□□□

\*□□□

\*[Windows](#)□□

\*[Linux](#)

\*

\*[USB Printdemo](#)

\*[Printdemo](#)

\*[SDK](#)

\*