

□□□□□□□□□□□□□□□□

□□□□OCBS -L015□

□□□

200MM / S□□□□

10-60cm□□□

□□□□□□□□

□□□□□□□□1.5m

□□□□□□□□□□□□□□□□

□□□

□□	□□
□□	□□□650nm
□□	□□□□□□□□□□
□□□□	UPC-A□UPC-E□EAN-13□EAN-8□ISBN / ISSN□Code39□□□□□□□□/ ITF 25□□□25□ Code 128□Code 93□Code 11□MSI / PLESSEY□UCC / EAN128
□□	USB□RS232□PS / 2
□□□□	□□□□□□□□□□□□
□□□□	RS232□□□□1200-19200
□□□□	□□0.1mm□4mils□
□□□□	2—9□□□0.1□□□□□3□50□□□0.3□□□□
□□□□	200□□/□
□□□□	10-600mm□□60o□□□45o
□□□□	-20oC□50oC
□□□□	-20°C—60°C
□□□□	0—95□
□□□□	5□—95□
□□□□	□□5V±5□
□□□□	50ma□□□□□□40ma□□□□□□100ma□□□□□
□□□□	20□□
□□□□	□□□□□□□□□□1.5m
□□	□□□□
□□	ABS + PVC + PC
□□□□	167 * 97 * 65□□
□□□□	15KV□□



OCBS-L015





OCBS-L015





OCBS-L015





OCBS-L015





OCBS-L015





OCBS-L015

