

1d USB  
M / N OCBS -T103

Product Description

32;  
 20;  
 /;  
 ;  
 ;

650 nm	
KBW RS232 USB	
Lx W x H	140mm * 83mm * 75 mm 157 mm * 98.3 mm * 100 mm
	282; 379
	5.0 VDC +/- 10
	275
	2W
	CDRH IIa; IEC 60825-1
	0°C - 40°C
	-40°C -70°C
	5 95
	1.2
	450 Ft 4844 Lux 8000Ft 86111
	20 5 20
	1500
	0~360
	+/- 50
	25
	0~216mm @ 13mil 100 UPC / EAN
	5 38 10~64mm 7.8 60 0~152mm 10.4mil : ( 80 0~190mm 13mil 100 0~216mm
	5
	UPC / EAN / JAN UCC / EAN 128 Code128 Code 39 Code 39 Trioptic Interleaved 2 of 5 Industrial 2 of 5 Matrix 2 of 5 Code 93 Code 11 Code bar MSI

Picture Show



OCBS-T103





OCBS-T103





OCBS-T103





OCBS-T103





**3. 3.**

OCOM

500 100

12 + 1 24

30 DOA DOA

**4. 4.**

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

**5. 5.**

**6. 6.**

Eruopean

133 1300 02 500 50