

58MM Portable Impresora térmica Bluetooth androide de la ayuda de la impresora térmica

Características:

Soporte técnico de Windows, Java, Android

Bluetooth, puerto USB

Mayor velocidad de impresión de 90 mm / seg.

100 kilometros Vida TPH.

Bajo consumo de energía y gran capacidad de la batería de litio.

Pliego de condiciones:

General Dimensiones (W x D x H)	105 × 75 × 45mm
Peso	134g
Color	Negro
Ancho efectivo de impresión	48mm
Método de impresión	Impresión térmica de líneas
Los comandos de impresión	ESC / POS conjunto de comandos compatible
Velocidad de impresión	Hasta 90 mm / seg
Resolución	8 puntos / mm (203 ppp)
Fuente Imprimir	12x24 / 24x24
Capacidad de la columna	32 columns / 16columns
Tamaño de los caracteres	1,5 x 3,0 mm (W x H) / 3.0x3.0mm (ancho x alto)
Dimensiones del papel	58,0 ± 0,1 mm 40.0mm x diámetro
Grosor del papel	0,06 a 0,08 mm
Conjunto de caracteres	Alfanumérico / Kanji chino
Interfaz	USB, Bluetooth
Buffer de datos	Hasta 5K bytes
Adaptador de corriente	9V DC / 2 A
Energía de la batería	7.4V DC / 1500mA; batería puede permanecer por 4-5 días, cuando está lleno poder, que puede imprimir 120-150m papel
Otras características	Detección de papel, detección de potencia, cierre Manual abajo
Las condiciones de trabajo	Temperatura: -10-50Degree, Humedad: 10% -90%
Condiciones de almacenamiento	Temperatura: -20-70Degree, Humedad: 5% -95%
Nombre del dispositivo	Se puede personalizar, carta y digital para la opción, en el máximo de 30 ASCII personajes.
Contraseña	Introduzca el código de emparejamiento por defecto "1234", que se puede personalizar. En un máximo de 6 Digitals.
Dimensión enchufe de alimentación	3.5 * 1.1mm



58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



Product Picture





Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.

