

Terminal POS con pantalla táctil todo en uno de 12 pulgadas (Modelo: POS -8812)

Especificación:

Monitor	Área de visualización (mm)	385 mm (H) X245 mm (V)
	Punto de médula (mm)	0.294 mm x 0.294 mm
	Resolución	Pantalla de doble luz de 800x600
	Brillo	350cd / □
	Contraste	400 □ 1
	Color	16,7M
	Tiempo de respuesta	15ms
	Ángulo de visión	150 ° (H) 150 ° (V)
	Fuente de alimentación	Adaptador de corriente externo de 12V 5A
	Panel táctil	Toque resistivo de 5 hilos
Máquina principal	UPC:	Intel ATOM D525 1.8GHz,
	Memoria:	DDR3 2GB
	Chipset:	Intel Pine view-D e Intel Nm10
	SSD	32G
	I / O	6x USB2.0, 1x LAN; 2x PS / 2, 2X RS232, 1X Paralelo, 1X VGA, 2X Audio
	Sistema operativo:	Admite Windows 2000 / XP / Vista o posterior, Mac OS X o posterior, Linux
	Cumplimiento:	CE, FCC y UL
Accesorios	Cables de poder	
	1x unidad de CD instalada	

Aplicaciones:

- Catering: hotel, restaurante, restaurante de comida rápida, cafetería, panadería y pastelería;
- Minorista: Business Street, boutique, grandes almacenes, tienda de cosméticos y peluquería de clase alta;
- Recreación: sauna, spa, club nocturno, parque temático, casino y punto de venta de boletos de lotería;
- Comercial: terminales de gestión de información para estacionamiento, posada, aviación, metro, estación y muelle;

Detalles de producto:



ocom
All your side

**12 Inches All-In-One
Touch Screen POS Terminal
POS8812**

Product Picture





Features

Simple but not easy

Small size save space for shop



Good-looking design is suitable for



many POS field

Low power-consumption solution
guarantees its stable quality
and safety



All-round show





Parameter

Display Area(mm)	385mm(H)X245mm(V)
Dot Pith(mm)	0.294mm X 0.294mm
Resolution	800x600 dual light screen

Display	Brightness	350cd/㎡
	Contrast	400: 1
	Color	16.7M
	Response time	15ms
	Viewing Angle	150°(H) 150°(V)
	Power Supply	12V 5A external Power adaptor
	Touch Panel	5-wire Resistive Touch
Main Machine	CPU:	Intel ATOM D525 1.8GHz,
	Memory:	DDR3 2GB
	Chipset:	Intel Pine view-D And Intel Nm10
	SSD	32GB
	I/O	6x USB2.0 , 1x LAN; 2x PS/2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
	Operation System:	Support Windows 2000 / XP / Vista Or Later, Mac OS X Or Later, Linux
	Compliance:	CE, FCC, AND UL
Accessories	Power cables	
	1x Drive installed CD	

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

2. By sea: usually around 7 working days to arrive

3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port

4. By sea: depend on which destination port

5. T/T

6. Western Union

7. Escrow

8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.





Documentos importantes:

¿Quieres saber más producto information?Por favor Haga clic aquí.

[Especificación](#)

[Controlador táctil POS 8812, POS 8812L para Linux](#)
[POS 8812, controlador táctil POS 8812L para sistema Windows](#)