

# Scanner de code à barres omnidirectionnel de bureau

□N ° de modèle: OCBS -T008)

## Spécification:

Paramètres de performance	
Source de lumière	Laser visible à 650 nm
Interface système	KBW, RS232, USB
Paramètres physiques	
Volume (L xlxh)	Sans support: 140mm * 83mm * 75 mm Avec support: 157 mm * 98,3 mm * 100 mm
Poids	Poids net (282g); avec support (379g)
Supporter	Support d'installation fixe
Couleur	Noir
Paramètres électriques	
Tension d'entrée	5,0 VDC +/- 10%
Courant nominal	275mA
Puissance	2W
Classe de laser	CDRH classe IIa; CEI 60825-1: Classe I
Paramètre environnemental	
température de fonctionnement	0 ° C - 40 ° C
Température de stockage	-40 ° C -70 ° C
Humidité	5% à 95% d'humidité relative (sans condensation)
Caractéristique d'Anticoack	Pour résister à une chute de 1,2 mètre de haut.
Résistance légère	éclairage intérieur, lumière du soleil, fluorescence, lumière incandescente, lumière à vapeur de mercure, lumière à vapeur de sodium: 450 Ft Candles (4844 Lux) lumière du jour: 8000Ft Bougies (86111 Lux)
Paramètres d'analyse	
Mode de balayage	Omnidirectionnel 20 lignes, 5 directions, 20 lignes de balayage
Vitesse de balayage	1500 fois par seconde
Angle de numérisation	0 ~ 360 degrés (Omni-directionnel)
Déviation de balayage	+/- 50 degrés
Contraste d'impression	Différence de réflexion minimale de 25%
Profondeur de numérisation du fichier	0 ~ 216mm @ 13mil (100% UPC / EAN)
Plage de fonctionnement nominale	5 mil: (38%) 10 ~ 64mm 7,8 mil: (60%) 0 ~ 152mm 10,4 mil: (80%) 0 ~ 190mm 13 mil: (100%) 0 ~ 216mm
Résolution la plus basse	5 mil
Capacité de décodage	UPC / EAN / JAN, UCC / EAN 128, Code 128, Code 39, Code 39, Trioptic, Entrelacé 2 sur 5, Industriel 2 sur 5, Matrice 2 sur 5, Code 93, Code 11, Bar code, MSI, etc.

## Production Line



## Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets

✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6

✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Certifications



## Packing and Shipment



Double wall corrugated board



Double outer cartons

Marks and fragile stickers



Outer protection film





## Payment



## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





## Why you choose us?



## Company Profile

**This Assessed Supplier Has Been Independently Verified**

Build Your Growth On Trust



**TÜVRheinland®**  
Precisely Right.



OCOM Technologies Limited, founded in 2007, is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation." We would like establish stable and reliable partnership with customers.

energy based, center for excellence, strategic cooperation. We extend our business ability and resource portfolio with customers all over the world. OEM/ODM is welcome.



## Contact us

**Any queries, please contact us immediately, big surprise is waiting for you.**

■ Sales Center:

Address: 11/F, Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen  
Guangdong, 518054, China;

E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com) , [ocomtech@gmail.com](mailto:ocomtech@gmail.com) ;

Skype: [ocominc2000](https://www.skype.com/user/ocominc2000), [ocominc](https://www.skype.com/user/ocominc);

MSN: [ocomtech@hotmail.com](https://www.hotmail.com/ocomtech), [ocominc@hotmail.com](https://www.hotmail.com/ocominc);

Trademanager: [szocominc](https://www.trademanager.com/szocominc), [cn1500439666](https://www.trademanager.com/cn1500439666);

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.



## Documents pertinents:

[Manuel utilisateur](#)