

|                                  |  |
|----------------------------------|--|
| Modèle                           | - T2   |
| Nom                              | 5,5 pouces écran tactile capacitif,<br>Soutien la signature électronique |
| Batterie                         | 3.8 V / 64 00mAh   |
| Adaptateur secteur               | Saisir □100-240V , 50/60 Hz ,1,5A<br>Sortir □ 5 V CC /2 A                |
| Interface chargeur               | USB de type C  |
| Écran principal                  | Écran tactile HD de 5,5 pouces afficher                                  |
| Résolution                       | 720*1280 IPS   |
| <b>Performance</b>               |  |
| CPU                              | Processeur Deca-core MT6797 Tri-Cluste-A72*2A53*8<br>2,3 GHz             |
| RAM                              | 3 FR   |
| Éclair                           | Mémoire Flash de 16 Go   |
| Communication                    | 2G/3G/ 4G  |
| Système opérateur                | Android 8.0  |
| Bouton                           | Bouton d'alimentation, bouton de numérisation ,Bouton<br>de volume       |
| Bluetooth                        | Bluetooth 4.0  |
| WIFI                             | WIFI 802.11 b.g.n.ac   |
| Imprimante                       | Reçu thermique de 58 mm et l'étiquette Imprimante                        |
| Rouleau de papier                | Largeur : 58 mm ; Diamètre : ≤40 mm                                      |
| Scanner                          | 5 mégapixels Décodage de la caméra , Scanner 2D (en<br>option)           |
| NFC                              | Supporte ISO/IEC 14443A&B, Mifare, carte felica                          |
| Emplacement SIM                  | Sim*2 (par défaut) ou Sim*1Sam*1 en option                               |
| Conférencier                     | Haut-parleur audio numérique   |
| Doigt p imprimer                 | FBI/STQC Doigt p imprimer (Facultatif)                                   |
| GPS ou AGPS                      | Prise en charge GPS AGPS   |
| MDM                              | Support  |
| <b>Accessoires périphériques</b> |  |
| Accessoires                      | USB Type-C*1   |
|                                  | Mise en charge adaptateur * 1  |
|                                  | manuel d'utilisation*1   |
| <b>Environnement</b>             |  |
| Température de fonctionnement    | 0 à 40 degrés centigrades  |
| Température de stockage          | - 10 à 60 degrés centigrades   |
| Humidité de travail              | 10%~80%  |
| Humidité de stockage             | 10%~90%  |

# SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING  
easy to deal with a variety of working environment





Thermal Receipt  
Label Printing



Touch HD  
Screen



Multi-version  
Connection



5 Million  
Pixels



3GB+16GB  
Standard



Removable 6400mAh  
Large Capacity Battery



NFC  
Standard



CPU  
Deca-core

## Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience




Support 2.4G&5G

Built-in NFC Module

2G/3G/4G communication

# Support Download APP from Google Play Store

High Quality and Performance, Your reliable POS



# Large paper bin Print more durable

Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.

**58mm**

Maximum  
paper width

**42mm**

Maximum  
paper diameter



■ SMART PRINTING


# Thermal Receipt / Label Printing

Built-in high speed 58mm thermal receipt and label printer




# 5.5-inch HD IPS Screen

720\*1280 resolution, stable every pixel, allowing users to see more clearly



# 2D Barcode Scanner for Optional

5 Million Rear HD Camera  
quickly identify barcodes QR codes  
record important information



Scan code



Photo



Video





# NFC Contactless Card

NFC contactless card reader payment function

