

## Υψηλή Ταχύτητα Σάρωσης **Handheld USB Machine Laser Barcode Scanner** (Μοντέλο: OCBs-L009)

### Προδιαγραφή:

<b>Επίδοση Χαρακτηριστικά</b>	
Πηγή φωτός:	650nm ορατό
Ταχύτητα Σάρωσης:	200 σαρώσεις ανά δευτερόλεπτο
ΕΠΕΞΕΡΓΑΣΤΗΣ	32 bit
Ανάγνωση Απόσταση	2.5 ~ 600 χιλιοστά (100% UPC / EAN)
Πλάτος σάρωσης	50 χιλιοστά @ 60 χιλιοστά, 220 χιλιοστά @ 200 χιλιοστά
Scanner Είδος:	Αμφίδρομη
Λειτουργία τρόπος	ενεργοποιείται
Ανάλυση:	3mil σειρά υψηλής ανάλυσης / πεδίο σειράς 5mil μεγάλο βάθος
Εκτύπωση Αντίθεση Ελάχιστη:	30%, ελάχιστη αντανακλαστική διαφορά
Decode Ικανότητα:	UPC / EAN, UPC / EAN με συμπληρωματικό, UCC / EAN 128, Code 39, Code 39 Πλήρης ASCII, Trioptic Κωδικός 39, Code 128, Code 128 Full ASCII, Coda μπαρ, Interleaved 2 of 5, Διακριτά 2 5, Code 93, MSI, κωδικός 11, παραλλαγές RSS, κινέζικα 2 5, MSI / Plessey, UK / Plessey, UCC / EAN 128, κινεζική κώδικα, GS1 γραμμής δεδομένων (RSS) σειρά
Σάρωση Γωνία	± 65 ° (κλίση)? ± 60 ° (pitch)? ± 42 ° (εκτροπής)
<b>Φυσικά Χαρακτηριστικά</b>	
Διασυνδέσεις Υποστηριζόμενα:	PS2, RS232, USB
Τάση:	5V DC ± 5%
Τρέχουσα:	85 mA (λειτουργίας)? 100 (Max)
Δείκτης	Βομβητή, LED
Υλικό	ABS + PC
Στάση	Προαιρετικός
Διαστάσεις:	156 * 68 * 83 mm (L * W * H)
Βάρος:	235g
Χρώμα:	Γκρι και μαύρο
<b>Περιβάλλον Χρήστη</b>	
Θερμοκρασία Λειτουργίας:	0 βαθμός Γ ~ 45 βαθμούς C
Θερμοκρασία αποθήκευσης:	-40 Βαθμών Κελσίου ~ 60 βαθμούς C
Υγρασία:	5% -90% (χωρίς συμπύκνωση)
Ηλεκτροστατική εκφόρτιση:	Συμμορφώνεται με +/- 15KV εκκένωσης αέρα και +/- 8KV της απαλλαγής επαφών
Φωτισμό του περιβάλλοντος	0 ~ 100.000 LUX
Όσοι Προδιαγραφές:	Αντέχει σε πολλαπλές πτώσεις 1.5m σε συγκεκριμένη επιφάνεια
Κατηγορία λείζερ	EN60825-1, κατηγορία 1

### Λεπτομέρειες προϊόντος:



## *Handheld Laser Barcode Scanner*

**OCBS-L009**



### **Product Picture**





## Features

### *Simple but not easy*

200scan/sec high scan rate  
and long reading distance;





Durable construction combined with future-proofing;



Excellent decode capability;



KBW, RS232 and USB supported;





**||| All-round show**





## Parameter

Performance Characteristics	
Light Source:	650nm visible
Scan Rate:	200 scans per second
CPU	32 bit
Reading Distance	2.5 ~600mm (100% UPC/EAN)
Width of Scan	50mm@60mm, 220mm@200mm
Scanner Type:	Bi-directional
Operation mode	triggered
Resolution:	3mil high resolution series / 5mil long depth field series
Print Contrast Minimum:	30%, minimum reflective difference
Decode Capability:	UPC/EAN, UPC/EAN with Supplemental, UCC/EAN 128, Code 39, Code 39 Full ASCII, Trioptic Code 39, Code 128, Code 128 Full ASCII, Coda bar, Interleaved 2 of 5, Discrete 2 of 5, Code 93, MSI, Code 11, RSS variants, Chinese 2 of 5, MSI/Plessey, UK/Plessey, UCC/EAN 128, Chinese code, GS1 Data Bar (RSS) series
Scanning Angle	±65°(tilt); ±60°(pitch); ±42°(yaw)
Physical Characteristics	
Interfaces Supported:	PS2, RS232, USB
Voltage:	5V DC±5%
Current:	85 mA (Operating); 100 (Max)
Indicator	Beeper, LED

Material	ABS+PC
Stand	Optional
Dimensions:	156*68*83 mm (L*W*H)
Weight:	235g
Color:	Grey and black
<b>User Environment</b>	
Operating Temperature:	0 Degree C~45 Degree C
Storage Temperature:	-40 Degree C~60 Degree C
Humidity:	5%-90% (non-condensing)
Electrostatic Discharge:	Conforms to +/-15KV air discharge and +/-8KV of contact discharge
Ambient Illumination	0 ~ 100,000 LUX
Drop Specifications:	Withstands multiple 1.5m drops to concrete surface
Laser classification	EN60825-1, class 1

## Production Line





## Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products





have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments


Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Certifications



## Packing and Shipment



## Payment



## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand,

and we have established goods relationship with our customers and have friendly communication with each other.



## Why you choose us?





## Company Profile

This Assessed Supplier Has Been  
**Independently Verified**

Build Your Growth On Trust



**TÜVRheinland®**  
Precisely Right.



OCOM Technologies Limited, founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.



OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



## Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

 Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China;

Websites: <http://www.possolution.com.cn> ; <http://www.ocominc.com> ;

E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com) , [ocomtech@gmail.com](mailto:ocomtech@gmail.com) ;

Skype: [ocominc2000](https://www.skype.com/people/ocominc2000), [ocominc](https://www.skype.com/people/ocominc);

MSN: [ocomtech@hotmail.com](mailto:ocomtech@hotmail.com), [ocominc@hotmail.com](mailto:ocominc@hotmail.com);

Trademanager: [szocominc, cn1500439666](https://www.trademanager.com/cn1500439666);

QQ: 2485890637,190852203;

Tel/Fax: +86.755.8605.3207.



**Σχετικά έγγραφα:**

Θέλετε να μάθετε περισσότερα inf προϊόνormation;Παρακαλώ Κανε κλικ εδώ.

**Προσδιορισμός**  
**Εγχειρίδιο Χρήσης**