

# 80mm Mini Portable Bluetooth/Wifi Thermal Printer

(M/N:OCPP-M086)

## Features:

1. Support Windows, Java, Android, IOS
2. Bluetooth, wifi, USB and RS232 communication for option
3. Battery charge indicator, easy to know rest power
4. Higher print speed 90mm/s
5. 50km TPH Life
6. Low power consumption and large capacity Lithium battery

## Specification

Model	OCPP-M086
Name	80mm mini portable bluetooth thermal printer
Color	Black
Interface	USB/RS-232/ Bluetooth/wifi (optional)
Battery	7.4V DC/ 2000mAh rechargeable li-ion battery
Power adaptor	DC 9v/2A
Standby time	4-5days after fully charged
Buffer	Input buffer:Up to 20K,Flash:256K
TPH Life	50KM
Other function	Paper detection, Power detection, Manual shut down, 1D&QR Code Print,USB port could be used for charging
Accessories	Data cable,power adaptor,power cord,paper roller,CD,manual
OS supporting	Windows&Android & IOS Systems
Safety standards	CE ,FCC,Rohs etc
Printing method	Direct thermal line
Resoluiton	203DPI (8dot/mm)
Printing speed	70mm/sec (Max 90mm/sec)
Print width	72mm
Continuous printing	120 pieces Thermal Roll for fully charged battery
Characters per Line	Font A:32 character /Line Simple,traditional Chinese:16 character /Line
Printing Command	Compatible with ESC/POS
Character size	FontA: 12*24dots, 1.5(W)*3.0(H) Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
Character set	Alphanumeric/ Chinese Kanji
<b>Media</b>	
Paper type	Thermal roll paper
Paper width	79.5±0.5mm
Paper feeding method	Easy paper loading
Paper roll diameter	40mm Max
Paper thickness	0.06-0.08mm
<b>Physical</b>	
Dimension	113*109*52mm

Weight	Net:288g Gross:570g
Package box	217*118*69 mm
40 in 1 carton	440*485*355mm/23kg
<b>Environment</b>	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation









ocom  
by gear side

CHARGE

ERROR



MODE

FEED

COM

USB



















**Model: BLD700-2**  
Part No.: 410000-1  
SALES  
1. Do not use or charge the battery pack in a fire or other high temperature environment.  
2. Do not use or charge the battery pack in a flammable liquid or other liquid.  
3. Do not use or charge the battery pack in a confined space.  
4. Do not use or charge the battery pack in a place where the battery pack may be damaged by moisture or other liquid.  
5. Do not use or charge the battery pack in a place where the battery pack may be damaged by dust or other particles.  
6. Do not use or charge the battery pack in a place where the battery pack may be damaged by vibration or other mechanical shock.  
7. Do not use or charge the battery pack in a place where the battery pack may be damaged by electromagnetic interference.  
8. Do not use or charge the battery pack in a place where the battery pack may be damaged by static electricity.  
9. Do not use or charge the battery pack in a place where the battery pack may be damaged by other factors.  
10. Do not use or charge the battery pack in a place where the battery pack may be damaged by other factors.  
11. Do not use or charge the battery pack in a place where the battery pack may be damaged by other factors.  
12. Do not use or charge the battery pack in a place where the battery pack may be damaged by other factors.

**WARRANTY**  
This product is warranted against manufacturing defects for a period of 12 months from the date of purchase. The warranty is void if the product has been damaged by misuse, accident, or other factors not covered by the warranty. For more information, please contact the manufacturer.



**Mini Thermal Printer**  
Model: OCPF-M086  
Paper Width: 80mm      
Power Supply 9V/1.5A  
  
17040108192    Made in China

