

# Stampante termica diretta per etichette con codici a barre da 3 pollici

(Modello: OCBP-020)

## Caratteristiche:



La larghezza di stampa può essere regolabile;

Il controllo intelligente della temperatura rende la stampante più stabile;

Calibrazione automatica;

Alta velocità di stampa;

Compatibile con varie etichette di spedizione.

## Specifica

Generale	
Model	OCBP-020

Interfaccia	USB/USBBluetooth
Durata della testina della stampante	50KM
Adattatore di alimentazione	Ingresso: CA 100-240 V, 50 ~ 60 Hz; Uscita: CC 24 V/1,5 A
Sensori	Sensori dual-Media: trasmissivo e riflettente
Driver della stampante	Finestre, sistema operativo MAC, supporto IOS/Android
Rotazione di caratteri e codici a barre	0°,90°,180°,270°
Comando della stampante	Comando TSPL (CPCL/ESC/POS comando-facoltativo)
Capacità di stampa	
Metodo di stampa	Termico a linea diretta
Risoluzione	203 DPI
Velocità di stampa	120mm/s
Larghezza di stampa	20-76 mm
Larghezza carta massima disponibile	80 mm
Codice a barre e carattere	
Codice a barre	Codice a barre 1D: UPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) / CODE39 / ITF / CODABAR / CODE93 / CODE128 Codice a barre 2D: codice QR, PDF417
Media	
Tipo di supporto	carta continua, carta per etichette, carta piegata, carta per etichette
Larghezza del supporto	Massimo 80 mm
Spessore del supporto	0,06-0,30mm
Diametro del nucleo del supporto	25,4 mm
Diametro del rotolo di carta	100 mm (MASSIMO)
Fisico	
Dimensione fisica	200*160*139,5 mm
Peso	Netto: 1,02 kg, lordo 1,40 kg
Scatola del pacchetto	235*220*170mm
8 in un cartone	490*460*360 mm/12 kg
Accessori	Cavo USB, manuale utente, adattatore di alimentazione
Ambiente	

Temperatura e umidità di lavoro	Da 5 a 40 gradi centigradi, 25%~85% Senza condensa
Temperatura e umidità di conservazione	Da -40 a 60 gradi centigradi, 10%~90% Senza condensa

# 3-inch Label Printer

OCBP-020



Windows

MAC OS



Android

IOS



**No ribbon, No ink  
Thermal printing.**

Paper can be printed without any consumables  
saves time and money.



## Easy Installation



## Freely adjust the printing width

Compatible with various shipping labels, Removable paper slot adjustable printing width, Large-capacity paper warehouse Reduce frequent paper changes

20-80mm  
Print Width

100mm  
Paper roll diameter



Adjustment  
paper range



## Support Paper Width 20-80mm

Standard: 020-20200202  
Category: B  
Product Name: Sweater  
Style No.: Z-4747  
Specification: XL  
Fabric: 93% wool  
Registration:  
qualified products  
**\$29.99**

**Bubble Tea**  
Taste: Shaobing  
Price: 6.00  
Time: 02-02-02



**Menu**  
Sirloin steak .....\*3  
Mexican rolls .....\*2  
Salad .....\*1  
Turkey .....\*1  
Dessert .....\*3  
Mashed potatoes .....\*1  
**\$29.99**



## Professional print head, Stable and durable.

With professional thermal print head, stable performance, clear printing and long working life.



## Automatic rollback function to prevent paper waste

Automatically induction paper when the printer starts up, and the first piece of paper will automatically return without wasting

-  Gap detection
-  Paper outlet detection
-  Paper shortage detection



# Multiple interfaces

Supports USB, Bluetooth and Local area network port optional



USB



Bluetooth



LAN




USB Connection



Bluetooth Connection



LAN Connection



# Product Function Structure




## Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories





# APPLICATION

Applied to supermarkets, warehouse labels;  
express bills; office printing, etc.

Office desktop printing



Courier form



Warehouse Label Printing



**Documenti rilevanti:**

[CD della stampante per etichette](#)

