

Scanner di codici a barre del palmare con rilevamento automatico con supporto  
(Modello: OCBS - L012)

**SPECIFICHE TECNICHE:**

Caratteristiche di performance	
Fonte di luce:	Laser visibile (650-670 nm)
Tasso di scansione:	100 scansioni al secondo
Distanza di lettura	2,5 ~ 600mm (100% UPC / EAN)
Tipo di scanner:	Bidirezionale
Risoluzione:	0.10mm (4mil) a PCS 0.9
Stampa contrasto minimo:	30%, differenza minima riflettente (@ 650nm)
Tasso di errore:	1/3000000
Capacità di decodifica:	UPC / EAN, UPC / EAN con integratori, UCC / EAN128, codice 39, codice 39 ASCII completo, codice 39 trioptic, codice 128, codice 128 ASCII completo, codabar, interleaved 2 su 5, discreto 2 su 5, codice 93, MSI , codice 11, ATA, varianti RSS, cinese 2 di 5 ...
Caratteristiche fisiche	
Interfacce supportate:	PS2, RS232, USB
voltaggio:	CC + 5V +/- 5%
Attuale:	100 mA
Corrente inattiva:	& lt; 40 mA
Fonte di potere:	Alimentazione host o alimentazione esterna (RS232)
Angolo di scansione	Inclinazione 45 ° Altezza 60 °
Dimensioni:	L165mm X L63mm X H87mm
Peso:	129g (senza supporto)
stare in piedi	Opzionale
Colore:	Grigio e nero
Ambiente utente	
Temperatura di esercizio:	0 °C ~ 40 °C
Temperatura di conservazione:	-40 °C ~ 60 °C
Umidità:	5 ~ 95% di umidità relativa, senza condensa
Scarica elettrostatica:	Confermare a +/- 15KV di mandata dell'aria e +/- 8KV di scarico del contatto
Drop specifiche:	Resiste a cadute multiple di 1,5 m sul cemento
Sicuro:	
EMI / RFI:	FCC Classe A e CE
Sicurezza laser:	Prodotto laser CDRH classe 2

**Dettagli del prodotto:**



*Handheld Laser  
Barcode Scanner*

OCBS-L012

||| Product Picture





## Features

**Simple but not easy**

Handheld laser barcode scanner



High scan rate (100 scans/sec) and long reading distance;



Excellent decode capability;



KBW, RS232 and USB supported;



Durable construction combined



with future-proofing;



Grey and Black Color available

## All-round show





## Parameter

Performance Characteristics	
Light Source:	Visible laser (650-670nm)
Scan Rate:	100 scans per second
Reading Distance	2.5 ~600mm (100% UPC/EAN)
Scanner Type:	Bi-directional
Resolution:	0.10mm (4mil) at PCS 0.9
Print Contrast Minimum:	30%, minimum reflective difference (@650nm)
Error Rate:	1/3000000
Decode Capability:	UPC/EAN, UPC/EAN with supplementals, UCC/EAN128, code 39, code 39 full ASCII, code 39 trioptic, code 128, code 128 full ASCII, codabar, interleaved 2 of 5, discrete 2 of 5, code 93, MSI, code 11, ATA, RSS variants, Chinese 2 of 5

<b>Physical Characteristics</b>	
Interfaces Supported:	PS2, RS232, USB
Voltage:	DC+5V+/-5%
Current:	100 mA
Idle Current:	<40 mA
Power Source:	Host power or external (RS232) power supply
Scanning Angle	Inclination 45° Elevation 60°
Dimensions:	L165mm X W63mm X H87mm
Weight:	129g (without stand)
Stand	Optional
Color:	Grey and black
<b>User Environment</b>	
Operating Temperature:	0°C~40°C
Storage Temperature:	-40°C~60°C
Humidity:	5~95% relative humidity, non-condensing
Electrostatic Discharge:	Confirm to +/-15KV air discharge and +/-8KV of contact discharge
Drop Specifications:	Withstands multiple 1.5m drops to concrete
<b>Safe:</b>	
EMI/RFI:	FCC Class A and CE
Laser Safety:	CDRH class 2 laser product

## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

2. By sea: around 2-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.







Monica Fu



## OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: [www.ocominc.com](http://www.ocominc.com)

E-mail: [sales01@ocominc.com](mailto:sales01@ocominc.com), [sales01@ocomtech.com.cn](mailto:sales01@ocomtech.com.cn)

Skype: [ocomsales01](https://www.skype.com/user/ocomsales01); MSN: [ocomsales01@hotmail.com](mailto:ocomsales01@hotmail.com)

Ali TM: [cn1001868228](https://www.aliexpress.com/item/cn1001868228); QQ: 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products

**Documenti rilevanti:**

Vuoi sapere più prodotti informazione?per favore Clicca qui.

## **specificazione**

Manuale utente