

15kg / 30kg waterdichte automatische digitale weegschaal met printer

(Model nr.: TM-AA - 5D)

Te gedenken gebeurtenis:

Kanmax 16 label formaten opslaan, elke PLU kan citeren verschillende labelindeling in de 16formaten bibliotheek;

Labelindeling kan vrij worden ontworpen;

Etiketten printen en voortzetting van papier afdrukken toegestaan;

Krachtigebeheerssoftware, hoge snelheid uploaden of downloaden;

Ondersteuningverschillende indeling van back-up, tekst bestanden overdracht maken het mogelijk om te werken metandere schalen of software;

Vriendelijkeinterface van de management software leiden tot logisch en redelijk functioneren;

Handmatigen automatisch afdrukken inventaris en verslag vormen;

Allefunctie kan worden ingesteld vanaf PC of op de schaal;

Specificatie:

Opslagcapaciteit:	Max. 4000 PLU			
Verschillende eigenschappen van PLU:	Max 3 lijnen van artikelnaam; Max 3 lijnen van de reclame informatie, POS code, prijs per eenheid; Max 4 dalurentariefperiode en disconteringsvoet, enz.			
Nr. van kortere wegsleutels:	71			
De opslag van de informatie van de reclame:	max 22 stuks reclame kunt opslaan informatie			
Vrije tekst:	32 stuks gratis tekst kan worden opgeslagen			
Resolutie:	3000			
Temperatuur:	opslag -10 ~ + 55 ° C; werken van 0 ~ + 40 ° C			
Vochtigheid:	≤ 85% RH			
Voeding:	AC 220V, 50 HZ			
Weergavemodus:	heldere rode LED			
Cijfers:	gewicht 5 cijfers, eenheidsprijs 5 cijfers, totaal prijzen 7 cijfers			
Afdrukken breedte:	30mm - 60mm			
Afdruksnelheid:	75mm/s			
Poort:	RS232 (standaard), Ethernet (optie), Kassalade (optie)			
Dimensie	381 * 428 * 500 mm			
Parameters				
Maximaal gewicht	3kg	6kg	15kg	30kg
Schaal intervallen	1g	2g	5g	10g
Precisie	1/3000	1/3000	1/3000	1/3000
Minimum Weging	20g	40g	100g	200g



ocom
At your side

Barcode Printing Scale

TM-AA-5D

Product Picture



www.ocominc.com

www.ocominc.com

www.ocominc.com



Features

Simple but not easy

Can store max 16 label formats,
each PLU can quote different label
format in the 16 formats library;





Label format can be freely designed;
Label printing and continuing paper
printing allowed;



Manually and automatically printing
inventory and report forms;
All function can be set either
from PC or on the scale;





Parameter

Storage capacity:	max. 4000 PLU			
Various properties of PLU:	Max 3 lines of article name; max 3 lines of advertising information, POS code, unit price; max 4 discount period and discount rate, etc.			
No. of shortcut keys:	71			
Advertising information storage:	can store max 22 pieces advertising information			
Free text:	can store 32 pieces free text			
Resolution:	3000			
Temperature:	storage -10~+55°C; working 0~+40°C			
Humidity:	≤85%RH			
Power supply:	AC 220V, 50 HZ			
Display mode:	bright red LED			
Digits:	weight 5 digits, unit price 5 digits, total prices 7 digits			
Printing width:	30mm-60mm			
Printing speed:	75mm/s			
Port:	RS232 (standard), Ethernet (option), Cash Drawer (Option)			
Dimension	381*428*500mm			
Parameters				
Maximum weighing	3kg	6kg	15kg	30kg
Scale intervals	1g	2g	5g	10g
Precision	1/3000	1/3000	1/3000	1/3000
Minimum Weighting	20g	40g	100g	200g

Production Line





Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Certifications



Packing and Shipment



Payment





Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Why you choose us?



Company Profile

This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust



TÜVRheinland®
Precisely Right.



OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.



OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.



OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China;

Websites: <http://www.possolution.com.cn> ; <http://www.ocominc.com> ;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: [ocominc2000](https://www.skype.com), [ocominc](https://www.skype.com);

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: [szocominc](https://www.alibaba.com), cn1500439666;

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.

