

# Bluetooth Portable termiczna drukarka etykiet kodów kreskowych

(M / N: OCBP-M80)

Funkcja:

- 1.Can naklejki druku etykiet i Odbiór papieru
- 2.Easy ustawić gęstość druku i langue
- 3.Multi różni interfejs i obsługa formatu papieru
- Wyświetlacz 4.LCD może pokazać ustawienia parametrów drukarki
- 5 można szybko wydrukować Imge kodów kreskowych i formularzy.
- 6.Multiple Czujnik Obsługiwane czarny znak, interwał Label i wykrywania końca papieru

termiczna drukarka etykiet przenośne drukarki etykiet termiczne, drukarki etykiet bluetooth

Metoda drukowania	Linia termiczny
Prędkość druku	80mm / s (Papier termiczny)
	70mm / s (Label naklejki)
Uchwała	8 punktów / mm
	576 punktów / linii
Efektywna szerokość drukowania	72mm / 48mm / 37.5mm
Zestaw znaków	ASCII, GB18030 (chiński), BIG5, kodowa
Drukuj czcionki	Czcionka A: 12 * 24; Czcionka B: 8 * 16
Self-zdefiniowane Charakter	tak
Rodzaj papieru	Papier termiczny / Papier na etykiety
Szerokość papieru	80mm / 58mm / 44mm na papier termiczny
Rolka papieru Średnica	40mm (maks.)
Średnica rolki Wewnętrzny rdzeń	13mm (min.)
Grubość papieru	0,06 ~ 0.16mm
Papier Sposób zasilania	Drop-in łatwe ładowanie papieru
TPH	50 km
kod kreskowy	1D: EAN-13, EAN-8, UPC-A, UPCZ, CODE39, CODE93, CODE128, CODABAR, przeplatane 25
	2D: PDF417, QRCode, Data Matrix
Współzawodnictwo	CPCL / ESC-POS
Kierowca	Windows 98 / ME / 2000 / NT / XP / 2003 Server / Vista / Win7 / Win 8
Czujnik	Papier Koniec czujnika, czarny znak, etykieta Interval
Interfejs	USB / Bluetooth
Przycisk	Moc, Kanał, Tryb
Wskaźnik	Moc, Kanał, Tryb
Pamięć	Flash: 512KB; RAM: 128kb
Otrzymuj Rozmiar bufora	32K
SDK	Windows CE; Windows Mobile 5.0 / 6.0; Symbian; Blackberry i Android
Wielu językach	46 strony kodowe
Zasilanie (adapter)	DC9V / 2A
Zasilanie bateryjne	7.4V, 1.65A akumulator litowo-jonowy
Ładowanie baterii	100m drukowania ciągłego
Czas ładowania	mniej niż 3 godziny
Bateria Czas trwania	360 godzin
Waga netto	196g
Masa brutto	360g (łącznie z baterią & amp; papier rolkowy)


Wymiary drukarki (SxGxW)	104mm x109mm x 48mm
Kolor	Czarny
Temperatura pracy	-10-50 ° C
Wilgotność pracy	10% -80%
Aplikacja	Restauracje, Domy handlowe, kuchenne, Stacje benzynowe, detaliczny specjalne, Supermarket
Akcesoria	Bateria, Ładowarka Kabel USB, Płyta CD, skórzane etui i rolki papieru
	Opcja: ładowarka pojazdu
Wielkość paczki	210mm x 155mm x 90mm (1,5 kg)




# 3 Inches Bluetooth Thermal Label Printer OCBP-M80



Product Picture





**Features:**

Support label sticker  
and receipt paper printing



LCD display can show the  
printer parameter settings



Easy to set the print language  
and density



Multiple Sensor Supported Black mark,  
Label interval and Paper end detection

## Application Area



Traffic police enforcement



Logistics transportation



Drug regulatory



Warehouse



Supermarket



File management



Library



Hospital

## Parameter

Printing Method	Thermal Line
Printing Speed	80mm/s ( Thermal Paper ) 70mm/s ( Label Sticker )
Resolution	8 dots/mm 576 dots/line
Effective Printing Width	72mm/48mm/37.5mm
Character Set	ASCII, GB18030 (Chinese), BIG5, Codepage
Print Font	Font A: 12*24; Font B: 8*16
Self-defined Character	Yes
Paper Type	Thermal paper/Label Sticker
Paper Width	80mm/58mm/44mm for thermal paper
Paper Roll Diameter	40mm(max.)
Roll Core Inner Diameter	13mm(min.)
Paper Thickness	0.06~0.16mm
Paper Supply Method	Drop-in easy paper loading

TPH	50km
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417, QR CODE, DATA Matrix
Emulation	CPCL/ESC-POS
Driver	Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8
Sensor	Paper End Sensor, Black Mark, Label Interval
Interface	USB/Bluetooth
Button	Power, Feed, Mode
Indicator	Power, Feed, Mode
Memory	Flash: 512kb; RAM: 128kb
Receive Buffer Size	32K
SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
Multi-languages	46 codepages
Power Supply (Adapter)	DC9V/2A
Battery Power	7.4V, 1.65A rechargeable LI-ion battery
Battery Charge	100m continuous printing
Charge Time	less than 3 hours
Battery Duration	360 hours
Net Weight	196g
Gross Weight	360g (Including battery & roll paper)
Printer Dimension(WxLxH)	104mm x109mm x 48mm
Color	Black
Operating Temp	-10-50Celsius
Operating Humidity	10%-80%
Application	Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories	Battery, Charger USB Cable, CD Driver, Leather Case and Paper-roll
	Option: vehicle charger
PackageSize	210mm x 155mm x 90mm(1.5kg)

### Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and



other certifications. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

### Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No information	13

Verified by TUV on 2013.7.15

## Certification:



## Warranty and After Sales:





- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

### Packing and Shipment:



### Payment:



secure payment



Alibaba.com

PayPal

Trade Assurance

## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



## Company Profile

|| Company Profile



# TRADE ASSURANCE



- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),

Together we quest for the best.





## Why you choose us?



## Contact us

**Any queries, please contact us immediately, big surprise is waiting for you.**

**Sales Center:**

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: [www.ocominc.com](http://www.ocominc.com) [www.possolution.com.cn](http://www.possolution.com.cn);

E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com), [info@possolution.com.cn](mailto:info@possolution.com.cn) ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;

